

THE DOW CHEMICAL COMPANY SALES SPECIFICATION

Date Printed:	2022-01-05

Effective Date:	2019-11-04
Supersedes Date:	2019-04-29

Name: DOWSIL[™] 888 Silicone Joint Sealant

Specification Number: 000000851179

		Shelf Life			
Container Type	Conditions of Handling	Conditions of Storage	Shelf Life	Deterioration Characteristics	
All Approved Packaging		Store BELOW 32C/90F	360 Days		
	Fi	nal Testing Requireme	ents		
Test and Test Condi	tion	Limit	Unit	Method	Note
Appearance, gray		Pass		CTM0176	
Tack free time		20 — 75	min	CTM0095	
Extrusion rate		90 — 250	g/min	CTM0364	
Flow		0.20 Max	inch	CTM0062	
Specific Gravity, RT/	50% RH	1.450 — 1.515		CTM0097	
Durometer, 7d/RT		15 — 25	ShoreA	CTM0099	
Modulus 150%, 7d/l	RT	45 Max	psi	CTM0137A	
Elongation, >1200%	, 7d/RT	Pass		CTM0137A	
TA - Elongation - cor	nc/conc, 7d/RT	500 Min	%	CTM0950A	

READ PRECAUTIONARY INFORMATION AND MATERIAL SAFETY SHEETS. THIS PRODUCT IS SHIPPED IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS REGARDING CLASSIFICATION, PACKAGING, SHIPPING AND LABELING.