Vers 1.1	sion	Revision Date: 08/22/2022	-	0S Number: 0000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022	
SEC	TION 1	. IDENTIFICATION				
	Produc	t name	:	MasterEmaco OneMix CI Pod		
	Produc	t code	:	00000000005910	0596 000000000059100596	
	Other n	neans of identification	:	MEmaco OneMix	CI	
	Manufacturer or supplier's o					
	Company name of supplier		:	Master Builders-C	Construction Systems	
	Addres	S	:	23700 CHAGRIN Beachwood OH 4		
	Emerge	ency telephone	:	ChemTel: +1-813	-248-0585	
		al Emergency Tele- Number	:	USA: +1-800-25	5-3924 ChemTel contract no. MIS9240420	
	Recom	mended use of the c	hen	nical and restriction	ons on use	
	Recom	mended use	:	Product for const	ruction chemicals	
	Restric	tions on use	:	Reserved for indu	strial and professional use.	

#### SECTION 2. HAZARDS IDENTIFICATION

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	:	Category 2
Acute toxicity (Oral)	:	Category 4
Eye irritation	:	Category 2A
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Short-term (acute) aquatic hazard	:	Category 1

#### **GHS** label elements

ersion 1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
Hazaı	rd pictograms		
Signa	l Word	: Danger	
Hazaı	rd Statements	H302 Harmful H319 Causes H350 May cau H372 Causes repeated expo H373 May cau through prolon	ensify fire; oxidizer. if swallowed. serious eye irritation. lese cancer by inhalation. damage to organs (Lungs) through prolonged o sure if inhaled. lese damage to organs (Kidney, Immune system) ged or repeated exposure if inhaled. ic to aquatic life.
Preca	utionary Statements	Prevention:	
		P202 Do not h and understoo P210 Keep aw P220 Keep/Sto P221 Take an P260 Do not b P264 Wash sk P270 Do not e P273 Avoid re	vay from heat. ore away from clothing/ combustible materials. y precaution to avoid mixing with combustibles. reathe dust. tin thoroughly after handling. at, drink or smoke when using this product. lease to the environment. otective gloves/ protective clothing/ eye protective
		CENTER/ doc P305 + P351 + for several min to do. Continue P308 + P313 I attention. P337 + P313 I tion. P370 + P378 I	F exposed or concerned: Get medical advice/ f eye irritation persists: Get medical advice/ atte n case of fire: Use dry sand, dry chemical or alc pam to extinguish.
		Storage: P405 Store loc	
		Disposal:	of contents/ container to an approved waste dis

None known.

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2022
1.1	08/22/2022	96000012391	Date of first issue: 02/24/2022

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)			
Quartz (SiO2)	14808-60-7	>= 50 - < 70			
sodium nitrite	7632-00-0	>= 30 - < 50			
Titanium dioxide	13463-67-7	>= 1 - < 5			
sodium nitrate	7631-99-4	>= 0.1 - < 1			
Actual concentration is withheld as a trade secret					

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.
If inhaled	:	Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution and seek medical advice.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes serious eye irritation. May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled. Prolonged or repeated inhalation of respirable crystalline silica (quartz) may result in silicosis.
Notes to physician	:	Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (CO2)
------------------------------	---	---

Unsuitable extinguishing : water jet

Versio 1.1	on	Revision Date: 08/22/2022		9S Number: 0000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
m	nedia				
	lazard cts	ous combustion prod-	:	fumes/smoke harmful vapours Carbon oxides nitrogen oxides carbon black	
F	urther	information	:	the fire conditions If exposed to fire, Collect contamina allow to reach sev Contaminated ext	k is governed by the burning substance and keep containers cool by spraying with water. ted extinguishing water separately, do not vage or effluent systems. inguishing water must be disposed of in official regulations.
		protective equipment fighters	:	Wear a self-conta	ined breathing apparatus.
SECTI	SECTION 6. ACCIDENTAL RELEASE MEASURES				
tiv	ve equ	al precautions, protec- ipment and emer- procedures	:	Do not inhale dus Wear appropriate Wear eye/face pro Use personal prot Ensure adequate	respiratory protection. otection. ective clothing.

Environmental precautions	:	Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Clean up promptly by scoop or vacuum. Avoid dust formation. Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do NOT breathe dust because it is hazardous to respiratory system. Avoid contact with skin and eyes. Ensure adequate ventilation. No special measures necessary provided product is used correctly.
Further information on stor- age conditions	:	Keep only in the original container in a cool, dry, well- ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2022
1.1	08/22/2022	96000012391	Date of first issue: 02/24/2022

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWÁ	10 mg/m3 (Titanium dioxide)	ACGIH
Engineering measures	: Maintain air o standards.	concentrations be	elow occupational exp	oosure

## Personal protective equipment

Respiratory protection	:	Wear appropriate certified respirator when exposure limits may be exceeded. Use NIOSH approved respiratory protection.
Hand protection		
Remarks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.
Eye protection	:	Wear safety glasses with side shields or goggles.
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.

ersion .1	Revision Date: 08/22/2022		S Number: 0000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022		
Hygiene measures		<ul> <li>When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and a the end of the shift. At the end of the shift the skin should be cleaned and skin care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).</li> </ul>				
ECTION	9. PHYSICAL AND CHI	EMI	CAL PROPERTI	ES		
Appea	arance	:	powder			
Color		:	brown			
Odor		:	earthy, mild			
Odor <sup>·</sup>	Threshold	:	not determined	I		
рН		:	6 - 8 (68 °F / 2 (aqueous susp			
Meltin	g point	:	Not applicable			
Boiling	g point/boiling range	:	Not applicable			
Flash	point	:	Not applicable			
Evapo	pration rate	:	Not applicable			
Flamn	nability (liquids)	:	The product is	not flammable.		
	r explosion limit / Upper ability limit	:	No data availa	ble		
	r explosion limit / Lower ability limit	:	No data availa	ble		
Vapor	pressure	:	No data availa	ble		
Relati	ve vapor density	:	No data availa	ble		
Bulk c	lensity	:	approx. 1,560	kg/m3 (68 °F / 20 °C)		
	ility(ies) ater solubility	:	partly soluble	(59 °F / 15 °C)		
So	lubility in other solvents	ts : No data available				
Partiti	on coefficient: n-	:	not applicable	for mixtures		

Version 1.1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
OC	anol/water		
Au	toignition temperature	: No data ava	ilable
De	composition temperature	: No decomposition scribed/indic	osition if stored and handled as pre- cated.
Vis	cosity Viscosity, dynamic	: Not applicat	ble
	Viscosity, kinematic	: Not applicat	ble
Ex	plosive properties	: Not explosiv	re
Ox	idizing properties	: The substar category 2.	nce or mixture is classified as oxidizing with the
Su	blimation point	: No data ava	ilable
Мс	lecular weight	: Not applicat	ble
SECTIO	ON 10. STABILITY AND F	EACTIVITY	
Re	activity	scribed/indi	us reactions if stored and handled as pre- cated. y fire; oxidizer.

Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong acids and strong bases
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 307.33 mg/kg
		Method: Calculation method

#### Skin corrosion/irritation

Not classified based on available information.

Version 1.1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
	ous eye damage/eye ir ses serious eye irritation		
Resp	biratory or skin sensit	zation	
Skin	sensitization		
Not o	lassified based on avai	lable information.	
Resp	piratory sensitization		
Not o	lassified based on avai	lable information.	
Gerr	n cell mutagenicity		
Not o	lassified based on avai	lable information.	
Carc	inogenicity		
May IARC	cause cancer by inhala Group 1: Ca Quartz (SiO (Silica dust,	rcinogenic to humans 2)	14808-60-7
	sodium nitrit (nitrite (inge	sted) under condition	7632-00-0 s that result in endogenous nitrosation)
			ns that result in endogenous nitrosation)
	Group 2B: P Titanium dio	ossibly carcinogenic xide	to humans 13463-67-7
OSH NTP	Known to be Quartz (SiO	e human carcinogen 2) talline (Respirable Siz	14808-60-7 ze))

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

#### **Aspiration toxicity**

Not classified based on available information.

#### Further information

#### Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

ersion 1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
ECTION	12. ECOLOGICAL INFO	ORMATION	
Ecoto	oxicity		
Produ	uct:		
	aquatic toxicity	: Very toxic to ac	juatic life.
	stence and degradabil Ita available	ity	
Bioad	cumulative potential		
<u>Produ</u> Bioac	<u>uct:</u> cumulation	: Remarks: No d Discharge into	ata available. the environment must be avoided.
	l <b>ity in soil</b> Ita available		
Other	adverse effects		
<u>Produ</u> Additi matio	onal ecological infor-	The product ha	ge product into the environment without contro s not been tested. The statements on ecotoxi en derived from the properties of the individua

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with national, state and local regula- tions. Do not discharge into drains/surface waters/groundwater. Do not contaminate ponds, waterways or ditches with chemi- cal or used container.
Contaminated packaging	:	Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the sub- stance/product.

### SECTION 14. TRANSPORT INFORMATION

## International Regulations

UNRTDG	
UN number	: UN 1500
Proper shipping name	: SODIUM NITRITE
Class	: 5.1
Subsidiary risk	: 6.1

Version 1.1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022
Packi Label	ing group Is	: III : 5.1 (6.1)	
UN/IE Prope Class Subs Packi Labe Packi aircra Packi	er shipping name idiary risk ing group ls ing instruction (cargo ift) ing instruction (passen-	: UN 1500 : Sodium nitrite : 5.1 : 6.1 : III : Oxidizer, Toxic : 563 : 559	
IMDO UN n	ircraft) <b>5-Code</b> umber er shipping name	: UN 1500 : SODIUM NITR	ITE
Packi Label EmS	idiary risk ing group	: 5.1 : 6.1 : III : 5.1 (6.1) : F-A, S-Q : yes	
Trans	sport in bulk according	to Annex II of MAF	RPOL 73/78 and the IBC Code
Not a	pplicable for product as	supplied.	
Dom	estic regulation		
	F <b>R</b> D/NA number er shipping name	: UN 1500 : Sodium nitrite	
Packi Label ERG	idiary risk ing group Is Code ne pollutant	: 5.1 : 6.1 : III : OXIDIZER, TO : 141 : yes : MIXTURE	XIC


<b>CERCLA Re</b>	portable	Quantity
	portable	quantity

Components	CAS-No.	Component RQ	Calculated product RQ		
		(lbs)	(lbs)		
sodium nitrite	7632-00-0	100	307		
SARA 313		The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:			
	sodium nitrite	7632-00-0	>= 30 - < 50 %		

Version 1.1	Revision Date: 08/22/2022	SDS Number: 960000012391	Date of last issue: 02/24/2022 Date of first issue: 02/24/2022			
US State Regulations						
Pennsylvania Right To Know						
	Quartz (SiO2) sodium nitrite Titanium dioxide		14808-60-7 7632-00-0 13463-67-7			
New Jersey Right To Know						
	Quartz (SiO2) sodium nitrite Titanium dioxide		14808-60-7 7632-00-0 13463-67-7			
WAR know	<b>California Prop. 65</b> WARNING: This product can expose you to chemicals including Quartz (SiO2), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.					
The ingredients of this product are reported in the following inventories:						
TSCA	A	: All substance	es listed as active on the TSCA inventory			
DSL		: All componer	nts of this product are on the Canadian DSL	-		
TSCA	A list					
	The following substance(s) is/are subject to a Significant New Use Rule: sodium nitrite 7632-00-0					
	The following substance(s) is/are subject to TSCA 12(b) export notification requirements: sodium nitrite 7632-00-0					

#### **SECTION 16. OTHER INFORMATION**

**Further information** 



	its for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	<ul> <li>Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek</li> </ul>
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Admin-

Version	Revision Date:	SDS Number:	Date of last issue: 02/24/2022
1.1	08/22/2022	96000012391	Date of first issue: 02/24/2022

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

08/22/2022

5

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN