SAFETY DATA SHEET



Issue Date 02-Jan-2018

Revision Date 02-Jan-2018

Version 1

1. IDENTIFICATION

Product identifier	
Product Name	HENRY FILLER

Other means of identification Product Code Synonyms

Recommended use of the chemical and restrictions on useRecommended UseIndustrial Coatings FillerUses advised againstNo information available

TQ872

None

Details of the supplier of the safety data sheet Manufacturer Address HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

Emergency telephone number

Company Phone Number Emergency Telephone 800-486-1278 US and Canada only (toll-free) : 3E Company - 1-866-519-4752 (access code 334832) US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Danger

Emergency Overview

Hazard statements

May cause cancer

May cause damage to organs through prolonged or repeated exposure



Appearance powder

Physical state Solid

Odor None

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical Name	CAS No	Weight-%	
Quartz *	14808-60-7	60 - 100	
*The exect percentage (concentration) of composition has been withheld as a trade accret			

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
Description of first aid measures		
General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer	

	artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.	
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Use personal protective equipment as required. Avoid creating dust.			
Environmental precautions				
Environmental precautions	No information available.			
Methods and material for containment and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Use personal protective equipment as required. Sweep up and shovel into suitable containers for disposal. Avoid creating dust.			
7. HANDLING AND STORAGE				
Precautions for safe handling				

Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.			
Conditions for safe storage, including any incompatibilities				

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible materials

Hydrogen fluoride. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Exposure Guidelines	· ·		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz	TWA: 0.025 mg/m ³ respirable	: (30)/(%SiO2 + 2) mg/m ³ TWA	IDLH: 50 mg/m ³ respirable dust
14808-60-7	fraction	total dust : (250)/(%SiO2 + 5) mppcf TWA	TWA: 0.05 mg/m ³ respirable dust
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations Ventilation systems.	

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Solid powder Light gray	Odor Odor threshold	None No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature	Values ~7 1650 °C / 3002 °F 1650 °C / 3002 °F No information available No information available No information available No information available No information available No information available 2.7 Insoluble in water No information available No information available No information available No information available No information available No information available	<u>Remarks • Method</u>	

Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available Not an explosive Not applicable

No information available No information available 0 g/L No information available No information available Not applicable Not applicable

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions Hazardous polymerization does not occur. Conditions to avoid dust formation. Incompatible materials Hydrogen fluoride. Strong bases. Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information					
Inhalation		Inhalation overexposure to free crystalline silica may cause delayed lung injury including silicosis, a disabling and potentially fatal lung disease.			
Eye contact	Based on available data, t	Based on available data, the classification criteria are not met.			
Skin contact	Based on available data, t	Based on available data, the classification criteria are not met.			
Ingestion	Based on available data, the classification criteria are not met.				
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		

Information on toxicological effects

Symptoms

14808-60-7

Quartz

No information available.

= 500 mg/kg (Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity Carcinogenicity		Based on available data, the classification criteria are not met. The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

-

IARC (International Agency for Rese Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Hea X - Present	
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled. May cause disorder and damage to the. Respiratory system.
Target Organ Effects	Respiratory system, lungs, Eyes.
Aspiration hazard	Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5,000.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

98 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS			
<u>Waste treatment methods</u> Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		

13 DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies
KECL	Complies

PICCS Complies AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard C	ategories
-----------------------	-----------

Acute health hazard	No
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Quartz	Х	Х	Х
14808-60-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS Chronic Hazard Star Lege	Health hazards 1* end *= Chronic	Flammability 0 Health Hazard	Physical hazards 0	Personal protection X
Issue Date	02-Jan-201	18		
Revision Date	02-Jan-201	18		
Revision Note				
No information available				

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet