SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: PEWTER ACRYLIC COATING (VOC Compliant)

Product Code: A3802, A3802-1, A3802-5, A3802-Q
1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Architectural Coating and Waterproofing

Use this product in accordance with all local, regional, national and international regulations.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: Firestone Building Products

200 4th Avenue South Nashville, TN 37201

Gaco is a Firestone Building Products brand

Telephone Number: 800-331-0196 / International: 001-800-331-0196

Email:sds@gaco.comWebsite:www.gaco.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency Spill, Leak, Fire, Exposure, or Incident Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class:

HAZARD CLASSIFICATION	CATEGORY
Not Classified	
This mixture does not meet the criteria for classification to OSHA Hazard Communication Standard 2012 1900.1200 (HCS 2012).	

2.2 LABEL ELEMENTS

Hazard pictogram: None

Signal word: None

Hazard statement: This mixture does not meet the criteria for classification to OSHA Hazard

Communication Standard 2012 1900.1200 (HCS 2012).

Prevention: Observe good industrial hygiene practices.

Response: Wash hands thoroughly after handling.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents and container in accordance with all local, regional,

national and international regulations.

2.3 ADDITIONAL INFORMATION



SAFETY DATA SHEET

Main symptoms: Direct contact with eyes may cause temporary irritation.

Hazards not otherwise specified: Toxic to aquatic life

Harmful to aquatic life with long lasting effects

42% of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Comments: This mixture does not meet the criteria for classification according to

OSHA Hazard Communication Standard 2012 (HCS 2012) 1900.1200.

Material	CAS No.	Weight %*
Titanium dioxide (dust)	13463-67-7	7-13%
Iron Oxide (black)	1317-61-9	1-5%
Silicon dioxide (dust)	7631-86-9	1-5%
Calcined kaolin	91704-41-1	1-5%
pyrithione zinc	13463-41-7	0.1-0.25%
Triphenyl phosphate	115-86-6	0.1-1.0%
Ammonium hydroxide	1336-21-6	0.1-1.0%
Zinc oxide (dust)	1314-13-2	0.1-1.0%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST-AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURES

General information: Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact: Wash skin with plenty of soap and water. Get medical attention is irritation

develops and persists.

Eye contact: Rinse eyes with water. Get medical attention if irritation develops and

persists.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Direct contact with eyes or skin may cause temporary irritation.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to physicians: Treat symptomatically.

Specific treatments: In case of accident or if you feel unwell, seek medical advice (show the label

or SDS where possible).

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

General hazards: No unusual fire or explosion hazard.

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2) **Unsuitable extinguishing media:** Do not use water jet as an extinguisher as this will spread the fire.



5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Specific hazards: During fire, gases hazardous to health may be formed. **Products of combustion:** May include, and are not limited to: oxides of carbon.

5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Special fire-fighting procedures: Keep upwind of fire. Move containers from fire area if you can do it

without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For personal protection, see Section 8 of this SDS.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then

place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning-up: Stop the flow of material, if this is without risk. Dike far ahead of spill for later

disposal. Following product recovery, flush area with water. For waste

disposal, see Section 13 of the SDS.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material,

where this is possible. Absorb in vermiculite, dry sand or earth and place into

containers. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly

to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions: Avoid release to the environment. Inform appropriate managerial or

supervisory personnel of all environmental releases

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Precautions for Safe handling: Observe good industrial hygiene practices.

General hygiene advice: Ensure that medical personnel are aware of the materials(s) involved, and

take precautions to protect themselves.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Safe storage:Store away from incompatible materials.Specific use:Architectural Coating and Waterproofing

Technical measures: No specific recommendations.

Incompatible materials: None known, avoid strong oxidizing agents.

Safe packaging material: No specific recommendations.

Precautions: Use personal protective recommended in Section 8 of the SDS.

Safe handling advice: Observe good industrial hygiene practices. **Suitable storage conditions:** Store away from incompatible materials.

Handling-technical measures: No specific recommendations. **Local and general ventilation:** Provide adequate ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Control parameters: Follow standard monitoring procedures.

Exposure limits:

Titanium dioxide (dust)

NIOSH REL: Ca See Appendix A OSHA PEL[†]: TWA 15 mg/m3

No significant exposure to primary particles of titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.

Iron Oxide (black)

OSHA:

PEL: TWA 10 mg/m3

NIOSH:

REL: TWA 5 mg/m3

Prolonged inhalation (6-10 years) of Iron oxide has been reported to produce changes in lung x-rays of exposed individuals. This condition, siderosis, is considered to be a benign pneumoconiosis that exhibits no adverse health effects. Siderosis has been observed among occupants such as arcwelders where iron oxide fumes are present. To the best of our knowledge, this condition has not been observed after prolonged exposure to iron oxide pigments.

Silicon dioxide (dust)

OSHA:

PEL[†]: TWA 20 mppcf (80 mg/m3/%SiO2) See Appendix C (Mineral Dusts)

NIOSH:

REL: TWA 6 mg/m3

No significant exposure to primary particles of silicon dioxide is thought to occur during the use of products in which silicon dioxide is bound to other materials, such as in paints.

Calcined kaolin

OSHA: ACGIH TLV A4 2 mg/m3 (dust) OSHA PEL 15 mg/m3 (total dust) OSHA PEL 5 mg.m3 (resp dust) NIOSH REL 10 mg.m3 (total dust) NIOSH REL 5 mg/lm3 (resp dust)

8.2 EXPOSURE CONTROLS

Engineering measures to reduce exposure:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.3 INDIVIDUAL PROTECTIVE MEASURES

General: Use personal protective equipment as required.

Eye protection: If contact is likely, safety glasses with side shields are recommended.



SAFETY DATA SHEET

Hand protection: For prolonged or repeated skin contact, use suitable protective gloves. **Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment.

Skin and body protection: Wear suitable protective clothing.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

Thermal hazards: Wear appropriate thermal protective clothing, when necessary.

Environmental exposure controls: Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous gray liquid

Color: PEWTER
Form: Liquid
Odor: Not available
Odor Threshold: Not available
Physical State: Liquid
pH (at 20°C): 9.1

Melting Point/Freezing Point: Not available **Initial Boiling Point and Boiling Range:** Not available Flash Point: >200°F/>93°C **Evaporation Rate:** Not available Flammability (solid, gaseous): Not Flammable Lower Flammability/Explosive Limit: Not available Upper Flammability/Explosive Limit: Not available Vapor Pressure (mm Hg @38°C): Not available Vapor Density: Not available

Density (lb/gal): 9.7 Relative Density/Specific Gravity: 1.2

Solubility in water/miscibility:

Partition coefficient: n-octanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

Viscosity (at 20°C) g/L:

Oxidizing Properties:

Not available

Not available

Not available

Not available

VOC: <50 g/L (<0.417 lb/gal)

Solvent content - Organic:0%Solvent content - Water:51%Solvent content - Solids:49%

Other information: Not available

Incompatibilities: None known, avoid strong oxidizing agents.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.2 CHEMICAL STABILITY



SAFETY DATA SHEET

Chemical stability: Material is stable under normal conditions.

Materials to avoid: The product is stable and non-reactive under normal conditions of use,

storage and transport.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Hazardous reactions: No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID Contact with incompatible materials.

10.5 INCOMPATIBLE MATERIALS None known, avoid strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous decomposition products: No hazardous decomposition products are known.

Hazardous polymerization: Does not occur.

Other information: Not applicable.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity: Expected to be a low hazard for usual industrial or commercial handling by

trained personnel.

Likely routes of exposure: Skin contact. Eye contact. Inhalation.

Eye: Direct contact with eyes may cause temporary irritation.

Skin: No adverse effects due to skin contact are expected. Prolonged skin

contact may cause dryness, redness, or cracking.

Ingestion: Not an expected route of exposure. Expected to be a low ingestion

hazard.

Inhalation: Not an expected route of exposure. No adverse effects due to

inhalation are expected.

LD50/LC50 values relevant to this classification:

Titanium dioxide (dust)

Oral mouse LD50 > 5000 mg/kg bw Oral rat LD50 > 5000 mg/kg bw Oral rat LD50 > 2000 mg/kg bw Oral rat LD50 > 11000 mg/kg bw Inhal rat LC50 3.43-5.09 mg/L air Inhal rat LC50 > 3.56 mg/L air Inhal rat LC50 > 2.28 mg/L air

Iron Oxide (black)

Oral rat LD50 > 5000 mg/kg bw Oral rat LD50 > 10000 mg/kg bw

Silicon dioxide (dust)

Oral rat LD50 > 5000 mg/kg bw Oral rat LD50 >10,000 mg/kg bw Oral rat LD50 > 5620 mg/kg bw Oral mouse LD50 > 3160 mg/kg bw

Oral rat LD50 mg/kg bw Oral rat LD0 > 20000 mg/kg bw Oral rat LD50 >3300 mg/kg bw Oral rat LD0 10,000 mg/kg bw



Inhal rat LC0 > 0.69 mg/L air no deaths Inhal rat LC0 > 0.14mg/L air no deaths Inhal rat LC0 > 58.8 mg/L air no deaths Derm rabbit LD50 > 2000 mg/kg bw Derm rabbit LD50 > 5000 mg/kg bw

Calculated overall chemical acute toxicity values for this formulation:

Calculated overall Chemical Acute Toxicity Values				
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)		
>5 mg/kg (dust and mist)	>2000 mg/kg	>2000 mg/kg		

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin corrosion/irritation: Based on available data, this product is not expected to cause skin corrosion

or irritation. Prolonged skin contact may cause dryness, redness, or cracking.

Serious eye damage/irritation: Based on available data, this product is not expected to cause serious eye

damage or irritation. Direct contact with eyes may cause temporary

irritation.

Respiratory sensitization: Based on available data, this product is not expected to cause respiratory

sensitization.

Skin sensitization: Based on available data, this product is not expected to cause skin

sensitization.

Symptoms and target organs: Direct contact with eyes may cause temporary irritation.

Chronic health effects: No chronic health effects known.

Carcinogenicity: This product is not classified as a carcinogen. Due to the form of the product,

exposure to the potentially carcinogenic components is not expected.

Material	OSHA(O)	ACGIH(G)	NTP(N)	IARC(I)
Titanium dioxide (dust)	Not listed	A4	Not listed	2B

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) = Occupational Safety and Health Administration

Ca/Yes = Expected to be carcinogenic not listed = Not expected to be carcinogenic

ACGIH (G) = American Conference of Governmental Industrial Hygienists

A1 =Confirmed human carcinogen A2 =Suspected human carcinogen

A3 =Animal carcinogen

A4 =Not classifiable as a human carcinogen A5 =Not suspected as a human carcinogen not listed = Not expected to be carcinogenic

NTP (N) = National Toxicology Program

K =Known to be a carcinogen R = Reasonably anticipated to be a carcinogen not listed = Not expected to be carcinogenic IARC (I) = International Agency for Research on Cancer

1 = Carcinogenic to humans 2A = Probably carcinogenic to humans 2B =Possibly carcinogenic to humans 3 =Not classifiable as to its carcinogenicity to humans

4 = Probably not carcinogenic to humans

not listed = Not expected to be carcinogenic

No data available to indicate product or any components present at greater

than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity (STOT):

Single Exposure: Not classified as an STOT - Single Exposure. **Repeated Exposure:** Not classified as an STOT - Repeated Exposure.

Aspiration Toxicity: Based on available data, this product is not expected to cause aspiration

toxicity.

Other Information: Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Mutagenicity:

Ecotoxicity: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity: Toxic to aquatic life.

Chronic toxicity: Harmful to aquatic life with long lasting effects.

Environmental effects: An environmental hazard cannot be excluded in the event of unprofessional



SAFETY DATA SHEET

handling or disposal.

12.2 PERSISTENCE AND DEGRADABILITY

Persistence/biodegradability: The product contains substances which are not expected to be readily

biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY

Mobility:No data available.Mobility in soil:No data available.Mobility in non-soil:No data available.

12.5 OTHER ADVERSE EFFECTS

Ozone layer: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal method: This material must be disposed of in accordance with all local, state,

provincial, and federal regulations.

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings

even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

EU codes: The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Residual waste: Dispose of in accordance with local regulations. Empty containers or liners

may retain some product residues. This material and its container must be

disposed of in a safe manner (see: Disposal instructions).

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal

site. Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Waste codes: The Waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Other disposal recommendations: None

SECTION 14: TRANSPORT INFORMATION

DOT Non-Bulk

Not classified as Dangerous Goods for Transport

DOT Bulk

Not classified as Dangerous Goods for Transport

IMDG

Not classified as Dangerous Goods for Transport

ICAO/IATA

Not classified as Dangerous Goods for Transport

Reportable quantity: Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service



SAFETY DATA SHEET

representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

US Federal Regulations:

U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

SARA/CERCLA reporting requirements:

The following components of this product are found at concentrations greater than or equal to 0.1% and are subject to SARA/CERCLA reporting requirements.

	SARA 302	SARA 304		SARA 313		CAA 112(r)
Material	(EHSs) TPQ	EHSs RQ	CERCLA RQ	listed	RCRA CODE	TQ
Ammonium hydroxide	Not listed	Not listed	1,000	313	Not listed	Not listed

State Right-to-Know Regulations

The following components of this product are found at concentrations greater than or equal to 0.1%, subject to state Right-to-Know reporting requirements; or are found at any concentration and are listed under California Proposition 65.

Material	California Proposition 65	Massachus etts Right- to-Know	Minnesota Employee Right-to- Know	New Jersey Community Environme ntal Hazard Right-to- Know	New Jersey Right-to- Know Substance	Pennsylvan ia Right-to- Know	Rhode Island Right-to- Know
Titanium dioxide (dust)	Not listed	Listed	Listed	Not listed	Listed	Listed	Not listed
Silicon dioxide (dust)	Not listed	Listed	Listed	Not listed	Not listed	Listed	Not listed
Zirconium dioxide	Not listed	Listed	Not listed	Not listed	Not listed	Not listed	Not listed
Triphenyl phosphate	Not listed	Listed	Listed	Not listed	Listed	Not listed	Not listed
Ammonium hydroxide	Not listed	Listed	Listed	Not listed	Listed	Listed	Listed
Zinc oxide (dust)	Not listed	Listed	Listed	Not listed	Listed	Not listed	Not listed
Ethylene Glycol	Dev	Listed	Listed	Not listed	Listed	Listed	Listed
1,4- Dioxane (trace)	Cancer	Listed	Listed	Listed	Listed	Listed	Listed
Ethylene Oxide (trace)	Cancer	Listed	Listed	Not listed	Not listed	Listed	Listed

California:

Proposition 65:

WARNING: This product can expose you to 1,4- Dioxane and Ethylene Oxide, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Global Inventories:

Notification status:		
US - TSCA	All substances are listed	
Canada -DSL	All substances are listed	
Canada - NDSL	No substances are listed	



EU - EINECS	Not all substances are listed
EU - ELINCS	No substances are listed
EU - NLP	No substances are listed
Australia – AICS	All substances are listed
China - EICSC	All substances are listed
Japan - ENCS	All substances are listed
Korea - KECI	All substances are listed
Taiwan - NECI	All substances are listed
New Zealand - NZloC	All substances are listed
Philippine - PICCS	All substances are listed

EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration or the annual tonnage does not require a registration.

1 3	
HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute	2
Aquatic Chronic	3

CANADA – WHMIS (Workplace Hazardous Materials Information System) Classification (GHS):

· · · · · · · · · · · · · · · · · · ·	, , ,
HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute	2
Aquatic Chronic	3

MEXICO (GHS):

HAZARD CLASSIFICATION	CATEGORY
Aquatic Acute Aquatic Chronic	2

Carcinogen Status: No data available.

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Materials Identification System) rating:

Health:	1
Flammability:	0
Physical:	0

NFPA 704 (National Fire Protection Association) rating:

Health	1
Fire	0
Reactivity	0

Legend:

DOT	US Department of Transportation
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods



SAFETY DATA SHEET

ACGIH American Conference of Governmental Industrial Hygienists

NTP National Toxicology Program

IARC International Agency for Research on Cancer

PPE Personal Protective Equipment

RCRA Resource Conservation and Recovery Act

CAA Clean Air Act

SARA Superfund Amendments and Reauthorization Act
EPCRA Emergency Planning and Community Right-to-Know Act
WHMIS Workplace Hazardous Materials Information System

EU European Union

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
CERCLA Comprehensive Environmental Response, Compensation and Liability Act

TSCA US Toxic Substances Control Act (TSCA)
DSL Canada Domestic Substance List (DSL)
NDSL Canada Non-Domestic Substance List (NDSL)

EINECS European Inventory of Existing Commercial Chemical Substances (EINECS)

ELINCS European List of Notified Chemical Substances (ELINCS)

NLP European list of No-longer Polymers (NLP)
AICS Australian Inventory of Chemical Substances (AICS)

EICSC China Existing Chemical Inventory - IECSC

ENCS Japanese Existing and New Chemical Substances Inventory(ENCS)

KECI Korea Existing Chemicals Inventory(KECI)

NECI Taiwan National Existing Chemical Inventory (NECI)
NZIOC New Zealand Inventory of Chemicals (NZIOC)

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

HMIS Hazardous Materials Identification System
NFPA National Fire Protection Association (NFPA)

Date of preparation: June 1, 2018

Version: 1.0

Revision Date: June 1, 2018

Disclaimer: We believe the statements, technical information and

recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own

particular use.

Prepared by: Firestone Building Products

200 4th Avenue South Nashville, TN 37201

Gaco is a Firestone Building Products brand

End of Safety Data Sheet