

## SAFFTY DATA SHFFT

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

REZI-WELD<sub>™</sub> 1000 Component A Product: Part Number: 3711301 Manufacturer:

W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

(847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC) Telephone:

11/14/2019 **Revision Date:** 

ниіс

**Product Use:** Two Component Epoxy

SECTION 2: HAZARDS	IDENTIFICATION/EXPOSURE LIMITS
HAZARD STATEMENTS	

	*****	TIALAND STATEMENTS
Health	2	WARNING!
Health   Flammability	1	Causes skin/eye irritation.
Reactivity	0	May cause an allergic skin reaction.

| Personal Protection | Suspected of causing genetic defects. 1 1

Causes damage to kidneys, liver, anemia, and hearing.

**PRECAUTIONARY STATEMENTS** 

Avoid direct contact. Avoid breathing mists/sprays.

#### **SECTION 3: HAZARDS COMPONENTS**

		% by	SARA	Vapor Pressure	LEL
Chemical Name:	<b>CAS Number</b>	<u>Weight</u>	<u>313</u>	(mm Hg@20°C)	(@25°C)
1. Epoxy Resin Blend	N/A: Mixture	65-70	No	N/A	N/A
2. (Butoxymethyl) Oxirane	2426-08-6	1-5	No	2 mm Hg@70°F	N/A
3. Titanium Dioxide	13463-67-7	1-5	No	N/A	N/A
4. Limestone	1317-65-3	25-30	No	N/A	N/A

N/A = Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

### **SECTION 4: EMERGENCY AND FIRST AID PROCEDURES**

EYE CONTACT: If irritation develops/persists, move victim from exposure source and into fresh air. Flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Cleanse affected areas thoroughly by washing with mild soap and water. If irritation occurs/persists, seek medical attention. Do not reuse clothing unless thoroughly decontaminated.

**INHALATION:** If respiratory symptoms develop, move victim from exposure source and into fresh air. If symptoms persist, seek medical attention.

INGESTION: Do not induce vomiting. Vomiting will cause additional damage to the digestive tract. Wash mouth out with water and seek immediate medical attention. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

### **SECTION 5: FIRE AND EXPLOSIVES HAZARDS**

FLASHPOINT: > 300 °F

**EXTINGUISHING MEDIA:** Water fog, foam, dry chemical, or carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, carbon dioxide, and incomplete combustion products.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Clear area of unauthorized/unprotected personnel. Do not enter confined fire space without helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL OR LEAK PROCEDURES: Evacuate hazard area of unprotected personnel. Dike/contain spilled material. Take up with an appropriate absorbent and place in marked/sealed containers for proper disposal. Handle contaminated spill articles and rinsate as above.

## **SECTION 7: HANDLING AND STORAGE**

SAFE HANDLING PROCEDURES: Avoid direct contact. May cause skin sensitization. **SAFE STORAGE:** Keep containers closed when not in use. Store in cool/dry location.

#### **SAFETY DATA SHEET**

Date of Preparation:	11/14/19	Page 2 of 3			3711301			
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
OSHA					ACGIH			
Chemical Name:	<u>PEL</u>	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>
1. Epoxy Resin Blend	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2. (Butoxymethyl) Oxirane	50 ppm	N/E	N/E	N/E	3 ppm	5.6 ppm	N/E	N/E
3. Titanium Dioxide *	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4. Limestone *	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

\*: Limestone and titanium dioxide exposure limits not provided as materials are in suspension. N/A: Not Applicable

**ENGINEERING CONTROLS:** None normally required under normal use conditions. **PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses, chemical-resistant gloves.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

BOILING POINT: >200 °C VAPOR DENSITY: >1 (air=1) % VOLATILE BY VOLUME: Not Applicable EVAPORATION RATE: <1 (ether=1) pH LEVEL: N/E % VOLATILE BY WEIGHT: Not Applicable

WEIGHT PER GALLON: 11.45 PRODUCT APPEARANCE: Gray Liquid VOC CONTENT: <5 g/L

ODOR: Mild Organic ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D

FLASH POINT: See Section 5FLAMMABILITY: N/DUEL/LEL: N/DVAPOR PRESSURE: N/DRELATIVE DENSITY: N/DSOLUBILITY: N/D

PARTITION COEFFICENT: N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D VISCOSITY: N/D

N/D: Not Determined

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Oxidizing agents, strong acids, alkaline materials, amines, polyamines, and polyamides

under uncontrolled conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and incomplete combustion products.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**EYE CONTACT:** Direct contact may cause mild to moderate eye irritation.

SKIN CONTACT: Direct contact may result in mild to moderate irritation. May cause skin sensitization in suseptible individuals.

**INHALATION:** Not expected to be an exposure route under normal use conditions.

**INGESTION:** Not expected to be an exposure route.

**SIGNS AND SYMPTOMS:** Symptoms of eye irritation include pain, tearing, redness, and swelling. Symptoms of skin irritation include reddening swelling, and rash. Skin sensitization reactions result in allergic dermatitis. Symptoms include rash, itching, hives, and swelling of extremities. These symptoms may be immediate or delayed up to several hours.

**AGGRAVATED MEDICAL CONDITIONS:** Pre-existing skin disorders may be aggravated by over-exposure to this product.

OTHER HEALTH EFFECTS: None recognized.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E DEGRADABILITY: N/E BIOACCUMULATIVE POTENTIAL: N/E

**SOIL MOBILITY:** N/E **OTHER ADVERSE EFFECTS:** N/E

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Non-hazardous waste. Suitable for fuel blending/incineration.

**SECTION 14: TRANSPORTATION INFORMATION** 

HAZARDOUS/NON-HAZARDOUS MATERIAL: Non-hazardous material.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

**UN PROPER SHIPPING NAME:** None.

ENVIRONMENTAL HAZARDS: Not determined.

BULK TRANSPORTATION INFORMATION: Not applicable. Product is not supplied in bulk form.

SPECIAL PRECAUTIONS: None.

**SECTION 15: REGULATORY INFORMATION** 

OTHER REGULATORY CONSIDERATIONS: None.

# **SAFETY DATA SHEET**

<b>Date of Preparation:</b>	11/14/19	Page 3 of 3	3711301
		SECTION 16: OTHER INFORMATION	
PREPARATION DATE:	11/14/2019		
PREPARED BY:	Dave Carey		

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.