

# Pro-Grade® 197 Asphalt Emulsion by Henry Company

CLASSIFICATION: 07 26 16.00

## Health Product Declaration v2.0

created via: HPDC Online  
Builder

PRODUCT DESCRIPTION: PRO-GRADE® 197 ASPHALT EMULSION IS A PREMIUM, COLD-APPLIED PROTECTIVE COATING FOR NEW OR AGED MODIFIED BITUMEN, SMOOTH BUILT-UP ROOF SURFACES AND AGED METAL ROOFING. IT RESISTS MOISTURE INTRUSION AND LEVELS IRREGULARITIES IN ROOF SURFACES TO PROVIDE A FOUNDATION FOR REFLECTIVE SURFACE COATINGS SUCH AS PRO-GRADE® 280 ELASTOMERIC WHITE ROOF COATING AND PRO-GRADE® 586, 588 & 599 ALUMINUM ROOF COATINGS. PRO-GRADE® 197 MAY BE REINFORCED WITH HENRY 189 FIBERGLASS ROVING OR HENRY 195 POLYESTER FABRIC TO PROVIDE INCREASED STRENGTH, SAG RESISTANCE AND LONGER WARRANTY DURATION.

### Section 1: Summary

#### CONTENT INVENTORY

Threshold per  
material

- ☒ 100 ppm
- ☐ 1,000 ppm
- ☐ Per GHS SDS
- ☐ Per OSHA MSDS
- ☐ Other

Residuals and  
impurities

- considered in  
1 of 1 materials
- ☒ see Section 2:  
Material Notes
- ☒ see Section 5:  
General Notes

Based on the selected Content Inventory Threshold:

|                                                                                 |                                  |                                  |
|---------------------------------------------------------------------------------|----------------------------------|----------------------------------|
| Characterized.....                                                              | <input checked="" type="radio"/> | <input type="radio"/>            |
| Are the Percent Weight and Role provided for all substances?                    | Yes                              | No                               |
| Screened.....                                                                   | <input checked="" type="radio"/> | <input type="radio"/>            |
| Are all substances screened using Priority Hazard Lists with results disclosed? | Yes                              | No                               |
| Identified.....                                                                 | <input type="radio"/>            | <input checked="" type="radio"/> |
| Are all substances disclosed by Name (Specific or Generic) and Identifier?      | Yes                              | No                               |

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | **RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE** | **HAZARD TYPE**

ASPHALT EMULSION [ WATER **BM-4** ASPHALT **LT-1** | CAN KAOLIN CLAY **LT-UNK** | CAN BENTONITE **LT-UNK** MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) **LT-UNK** | SKI QUARTZ **LT-1** | CAN ]

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern  
GreenScreen  
Benchmark or List translator  
Score..... LT-1  
Nanomaterial..... No

#### INVENTORY AND SCREENING NOTES:

#### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

#### CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

|                                                  |                 |                                  |                                                                |
|--------------------------------------------------|-----------------|----------------------------------|----------------------------------------------------------------|
| <input checked="" type="radio"/> Self-Published* | VERIFIER:       | SCREENING DATE: January 22, 2017 | EXPIRY DATE*: January 22, 2020                                 |
| <input type="radio"/> Third Party Verified       | VERIFICATION #: | RELEASE DATE: January 22, 2017   | * or within 3 months of significant change in product contents |
| *See HPDC website for details                    |                 |                                  |                                                                |



## Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: [www.hpd-collaborative.org](http://www.hpd-collaborative.org) and [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org).

### ASPHALT EMULSION %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

#### WATER

ID: 7732-18-5

|                      |          |          |          |               |
|----------------------|----------|----------|----------|---------------|
| %: 40.0000 - 50.0000 | GS: BM-4 | RC: None | NANO: NO | ROLE: Solvent |
|----------------------|----------|----------|----------|---------------|

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

#### ASPHALT

ID: 8052-42-4

|                      |          |          |          |                                 |
|----------------------|----------|----------|----------|---------------------------------|
| %: 35.0000 - 45.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Waterproofing/flexibility |
|----------------------|----------|----------|----------|---------------------------------|

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

|        |      |                                            |
|--------|------|--------------------------------------------|
| CANCER | IARC | Group 2b - Possibly carcinogenic to humans |
|--------|------|--------------------------------------------|

|        |                                   |                         |
|--------|-----------------------------------|-------------------------|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
|--------|-----------------------------------|-------------------------|

|        |     |                                                            |
|--------|-----|------------------------------------------------------------|
| CANCER | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
|--------|-----|------------------------------------------------------------|

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen when used in road paving applications. This product is not intended for that use.

#### KAOLIN CLAY

ID: 1332-58-7

|                     |            |          |          |                                    |
|---------------------|------------|----------|----------|------------------------------------|
| %: 5.0000 - 10.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Thixotrope/film strengthener |
|---------------------|------------|----------|----------|------------------------------------|

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

|        |     |                                                                                              |
|--------|-----|----------------------------------------------------------------------------------------------|
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
|--------|-----|----------------------------------------------------------------------------------------------|

SUBSTANCE NOTES:

## BENTONITE

ID: 1302-78-9

|                    |            |          |          |                                    |
|--------------------|------------|----------|----------|------------------------------------|
| %: 1.0000 - 5.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Thixotrope/film strengthener |
|--------------------|------------|----------|----------|------------------------------------|

## HAZARDS:

## AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

## SUBSTANCE NOTES:

MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) ID:

|                    |            |          |          |                    |
|--------------------|------------|----------|----------|--------------------|
| %: 0.0010 - 0.0100 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Preservative |
|--------------------|------------|----------|----------|--------------------|

## HAZARDS:

## AGENCY(IES) WITH WARNINGS:

|                |     |                                                         |
|----------------|-----|---------------------------------------------------------|
| SKIN SENSITIZE | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
|----------------|-----|---------------------------------------------------------|

## SUBSTANCE NOTES:

## QUARTZ

ID: 14808-60-7

|                      |          |          |          |                         |
|----------------------|----------|----------|----------|-------------------------|
| %: Impurity/Residual | GS: LT-1 | RC: None | NANO: NO | ROLE: Impurity/Residual |
|----------------------|----------|----------|----------|-------------------------|

## HAZARDS:

## AGENCY(IES) WITH WARNINGS:

|        |                                   |                                                                              |
|--------|-----------------------------------|------------------------------------------------------------------------------|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen                                                      |
| CANCER | CA EPA - Prop 65                  | Carcinogen - specific to chemical form or exposure route                     |
| CANCER | IARC                              | Group 1: Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | US NIH - Report on Carcinogens    | Known to be Human Carcinogen (respirable size - occupational setting)        |
| CANCER | MAK                               | Carcinogen Group 1 - Substances that cause cancer in man                     |

SUBSTANCE NOTES: Not present in a respirable form.



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



## Section 5: General Notes



### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd  
Suite 800  
El Segundo, CA 90245  
USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

### KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

#### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**UNK** Unknown (no data on List Translator Lists)

#### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

#### Other

**Nano** Composed of nanoscale particles or nanotechnology

#### Declaration Level

**Self-declared** Manufacturer's self-declaration (First Party)

**Independent Lab** Manufacturer's self-declaration using results from an independent lab

**Second Party** Verification by trade association or other interested party

**Third Party** Verification by independent certifier

**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.