## **SAFETY DATA SHEET**

### **Section 1. Identification**

GHS product Identifier Other means of identification	: LM 95- Part A : Not available	
Relevant identified used of the substance or mixtures and uses advised against Component of a Polyurethane System		
Supplier's details	: Polyguard Products, Inc. 3801 South Interstate 45 Ennis, TX 75119 Tel: (800) 541-4994	
Emergency telephone number) with hours of operation)	: CHEMTREC, US 1-800-424-9300 International 1-703-527-3887	
. ,	: (24/7)	

### **Section 2. Hazards Identification**

OSHA/HCS status Classification of the substance or	<ul> <li>While this material is not considered hazardous by the OSHA Hazardous Communications Standard (49CFR1910.1200), this SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained an davailable for employees and other users of this product.</li> <li>Not classified</li> </ul>
mixture GHS label elements	
Signal word Hazard statement Precautionary statements	: No signal words : No hazard statement
Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear eye and face protection. Keep away from heat, sparks, open flame and hot surfaces. No smoking. Keep container tightly closed. Use only outdoors or in well ventilated area. Avoid release to the environment.Do not breath vapor. Wash hands thoroughly after handling.
Response	: Collect spillage; Get medical attention if you feel unwell. If exposed or concerned: get medical attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. If SWALLOWED: immediately call a poison center or physician. DO NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF ON SKIN; Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical attention. IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
Storage	: Store locked up. Store in a well-ventilated place. Keep cool.
Disposal	<ul> <li>Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Hazards not otherwise classified	: None known

### **Section 3. Composition/Information on Ingredients**

Substance/Mixture Other means of identification	: Mixture : Not available
CAS number/other identifiers	
CAS number	: Not applicable
Product code	: Not applicable
Occupational exposure limits, if available, are listed in Section 8.	

### Section 4. First Aid Measures

Description of necessary first ai	d measures.
Eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms appear.
Most important symptoms/effect Potential acute health effects	ts, acute and delayed
Eye contact	: No known or significant effects or critical hazards.
Inhalation	: No known or significant effects or critical hazards.
Skin contact	: No known or significant effects or critical hazards.
Ingestion	: No known or significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: Pain or irritation, Watering, Redness.
Inhalation	: No known or significant effects or critical hazards.
Skin contact	: Adverse symptoms may include the following: Irritation Redness
Ingestion	: No known or significant effects or critical hazards.
Indication of immediate medical attention and special treatment needed, if necessary.	
Notes to physician:	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific Treatments	: No specific treatment
Protection of first-aiders:	: No action shall be taken involving any personal risk or without suitable training.

## Section 5. Fire-fighting Measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishment agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known

Polyguard Products, Inc

Tel: 214-515-5000 www.polyguard.com

### Section 5. Fire-fighting Measures

Specific hazards arising from the
chemical
Hazardous thermal decomposition
products

Special protective equipment for

fire fighters

: No specific fire or explosion hazard.

- : Decomposition products may include the following materials: Carbon Monoxide, Carbon Dioxide, nitrogen oxides, hydrocarbons.
- : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.

### **Section 6. Accidental Release Measures**

#### Personal precautions, protective equipment and emergency procedures.

For non emergency personal	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel
	from entering. Do not touch or walk thru spilled material. Avoid breathing vapor
	or mist.Wear appropriate respirator when ventilation is inadequate. Put on
	appropriate personal protective equipment( see section 8).
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any
	information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enviromental precautions	: Avoid disposal of spilled material and runoff and contact with soil, waterways,
	drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).
Methods and materials for	
containment and cleaning up	
5.1	
	1 21
Methods and materials for containment and cleaning up	

### Section 7. Handling and Storage

#### Precautions for safe handling Protective measures Advice on general occupational hygiene

: Put on appropriate personal protective equipment (see Section 8).

: Eating, drinking and smoking should be prohibited in areas where material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See section 8 for additional information on hygiene measures.

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area away from incompatible materials (section 10) and food and drink. Keep container tightly closed and sealed until ready to use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Conditions for safe storage, including any incompatibilities

## **Section 8. Exposure Controls/Personal Protection**

Control parameters Occupational exposure limits	: None
Appropriate engineering controls	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminates. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airbornes contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Hygiene measure:	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the work station.
Eye/face protection	<ul> <li>Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases and dusts.</li> </ul>
Skin Protection	
Hand protection	: Use chemical resistant, imprevious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## **Section 9. Physical and Chemical Properties**

Appearance	
Physical state	: Liquid
Color	: Black
Odor	: Asphalt
Odor threshold	: Not available
рН	: Not applicable
Melting point	: Not applicable
Boiling point	: Not available
Flash Point	: Closed cup: 274°C ( 525.5°F)
Evaporation rate:	: Not applicable
Flammability(solid, gas)	: Not available
Lower & upper explosive	: Not available
(flammable) limits	
Vapor density	: Not available

### **Section 9. Physical and Chemical Properties**

Vapor pressure
Relative density
Solubility
Partition coefficient: n-
octanol/water
Auto- ignition temperature
Decomposition temperature
SADT
VOC
Viscosity
viacoally

: Not available

: 1.29

- : Partially soluble in the following materials: cold and hot water
- : Not available
- : 485 °C (905 °F)
- : Not available : Not available
- :0 g/L
- : 6,000- 8,000 cps@ 250 °F

### Section 10. Stability and Reactivity

Reactivity	<ul> <li>No specific test data related to reactivity available for this product or its ingredients.</li> </ul>
Chemical stability	: This product is stable.
Possibility of hazardous reactions	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>
Conditions to avoid:	No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: Oxidizing materials and acids.
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

### **Section 11. Toxicological Information**

Information on toxicological effects Acute toxicity	: There is no data available.
Irritation/Corrosion	
Skin Eyes Respiratory	<ul> <li>There is no data available.</li> <li>There is no data available.</li> <li>There is no data available.</li> </ul>
<u>Sensitization</u> Skin Respiratory	: There is no data available. : There is no data available.
Mutagenicity	: There is no data available.
Carcinogenicity	: There is no data available.
Reproductive Toxicity	: There is no data available.
Teratogenicity	: There is no data available.

Specific target organ toxicity (single exposure) There is no data available.

#### Specific target organ toxicity (repeated exposure) There is no data available.

Aspiration hazard There is no data available.

Potential acute health effects	
Eye contact	: Causes eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
	hemical and toxicological characterisitics
Eye contact	: Adverse symptoms may include the following: Pain or irritation,
	Watering,
	Redness.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Adverse symptoms may include the following:
	Irritation
	Redness
Ingestion	: No known significant effects or critical hazards.
	also chronic effects from short and long term exposure
Short term exposure	····
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure Potential immediate effects	No known aignifiaant affacta ar aritiaal hazarda
Potential delayed effects	<ul> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
Fotential delayed effects	. NO KHOWH Significant effects of childar hazards.
Potential chronic health effects	
General	: No known significant effects or critical hazards.
Carcinogencity	: No known significant effects or critical hazards.
	: No known significant effects or critical hazards.
Mutagenicity	
Teragenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxicity	
Mamerical measures of toxicity	
Acute measures of toxicity	: There is no data available

### **Section 12. Ecological Information**

<u>Toxicity</u> There is no data available.	
Persistence and degradability Bio accumulative potential	: There is no data available : There is no data available
<u>Mobility in soil</u> Soil/water partition coefficient (K <sub>oc</sub> ) Other adverse effects	: There is no data available : No known significant effects or critical hazards.

### Section 13. Disposal Considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recycled products via a licensed waste disposal contractor. Waste should not be disposed of to a sewer. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, local, national and local laws and regulations.

### Section 14. Transport Information

#### Proper shipping name

DOT	: Not regu	lated
TDG	: Not regu	lated
IMDG	: Not regu	lated
ΙΑΤΑ	: Not regu	lated

Special<br/>precautions for<br/>user.: Transport within user's premises: always transport in closed containers that are upright and<br/>secure. Ensure that persons transporting the product know what to do in the event of an accident or<br/>spillage.

#### Section 15. Regulatory Information

#### Safety, health and environmental regulations specific for the product

United States Regulations	
TSCA 8(a) Pair	: Siloxanes and silicones, di-Me, reaction products with silica; 1- Cyclohexane, 4- vinyl
TSCA 8(a) CDR Exempt/Partial exemption	: Not determined
TSCA 8(b) US inventory	: All components are listed or exempted.
Clean Air Act Section 112 (b)	: Not listed.
Hazardous air pollutants	
(HAPs) Clean Air Act (CAA) Section	: Not listed.
602 Class I Substances	. Not listed.
Clean Air Act (CAA) Section	: Not listed.
602 Class II Substances	
DEA List I Chemicals	: Not listed.
(Precursor chemicals) DEA List II Chemicals	: Not listed.
(Essential chemicals)	
SARA 302/304	
<b>Composition/information on</b>	: No products found
ingredients	
SARA 304 RQ	: Not applicable
SARA 311/312 Classification	: Not applicable
SARA 313	: Not applicable

### Section 15. Regulatory Information

#### **State regulations**

Massachusetts New Jersey New York <u>Pennsylvania- RTK</u> California Prop 65	<b>^</b>	<ul> <li>The following components are listed: limestone, Petroleum asphalt.</li> <li>The following components are listed: limestone, Petroleum asphalt.</li> <li>No components are listed.</li> <li>The following components are listed: limestone, Petroleum asphalt, Oxydipropanol.</li> <li>WARNING: This product can expose you to chemicals including (1,3 - butadiene), which is(are) known to the State of California to cause cancer, and (1-cyclohexene, 4-Vinyl), which is(are) known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov</li> </ul>			
California Prop 65	<u>~</u>	<u>www.Pt</u>	5vvarnings.ca.go	V	
Ingredient name		Cancer	Reproductive	No significant risk	Maximum acceptable

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
1,3- Butadiene	Yes	Yes	Yes	No
1-Cyclohexene, 4- Vinyl	Yes	Yes	No	No

### **Section 16. Other Information**

Date of revision	: 6/9/2022
Date of previous issue	: 4/15/13
Revisions:	: Remove Information regarding international regulations, NFPA and HMIS information. Update Prob 65 warning.
Version	: 3
Prepared by	: C. Rogalski

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

# **SAFETY DATA SHEET**

LM 95-Part B

### Section 1. Identification

GHS product Identifier	: LM-95 Part B
Other means of identification	: Not available

Relevant identified used of the substance or mixtures and uses advised against Component of a Polyurethane System

Supplier's details	: Polyguard Products, Inc. 4101 South I 45 Ennis, TX 75119 Tel: (214) 515-5000
Emergency telephone number) with hours of operation)	: CHEMTREC, US 1-800-424-9300 International 1-703-527-3887

: (24/7)

### **Section 2. Hazards Identification**

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazardous Communications Standard (49CFR1910.1200).
Classification of the substance	: Acute toxicity: Inhalation- Category 4
or mixture	Skin Corrosion/Irritation- Category 2
	Serious Eye Damage/Eye Irritation- Category 2B. Respiratory Sensitization- Category 1
	Skin Sensitization- Category 1
	Specific target organ toxicity ( single exposure) (Respiratory system)
	– Category 3
GHS label elements	
Hazard pictogram	
Signal word	: Danger
Hazard statement	: Harmful if inhaled.
	Causes skin and eye irritation
	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	May cause an allergic skin reaction. May cause respiratory irritation.
Precautionary statements	
Prevenion	: Avoid breathing dust/fume/gas/mist/vapors/spray. Wash skin throughly after handling. Use only outdoors or in a well ventilated area.Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.In case of inadequate ventilation wear respoiratory protection.

### **Section 2. Hazards Identification**

Response Storage	<ul> <li>: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>: Store locked up. Store in a well-ventilated place. Keep container tightly closed.</li> </ul>
Disposal	: Dispose of contents and container in accordance with all local, regional, national
Hazards not otherwise classified	and international regulations. : None known

## Section 3. Composition/Information on Ingredients

Substance/Mixture Other means of identification	: Mixture : Not available	
Ingredient name	%	CAS Number
4,4'-Methylenediphenyl diisocyanate	50 - 70	101-68-8
Diphenylmethanediisocyanate	30 - 50	9016-87-9

10 - 20

5873-54-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation. Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First Aid Measures

#### Description of necessary first aid measures.

Diphenylmethane-2,4'- diisocyanate

General advise	: Move out of dangerous area. Do not leave the victim unattended Consult a physician Show this safety data sheet to the doctor in attendance.
Eye contact	<ul> <li>In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under eyelids, for at least 15 minutes.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
Inhalation	: If breathed in, move person into fresh air. Call a physician or poison control center immediately. Keep patient warm and at rest. Keep respiratory tract clear. If breathing is difficult, give oxygen. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice. Consult a physician immediately if symptoms such as shortness of breath or asthma are observed. A hyperactive response to even minimal concentrations of diisocyanates may develop in sensitized persons. LC50(rat): ca. 490 mg/m <sup>3</sup> (4 hours): using experimentally produced respirable aerosol having aerodynamic diameter < 5 microns.

## Section 4. First Aid Measures

Skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse. Call a physician if irritation develops or persists. An MDI study has demonstrated that a polyglycol- based skin cleaner (such as D-TamTM PEG-400) or corn oil may be more effective than soap and water.
Ingestion	: Gently wipe or rinse the inside of the mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Keep respiratory tract clear. Keep at rest. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
<u>Most important</u> <u>symptoms/effects. acute and</u> <u>delayed</u>	: Severe allergic skin reactions, bronchospasms and anaphylactic shock.
Indication of immediate medical	attention and special treatment needed, if necessary,
Notes to physician:	: Symptomatically treatment and supportive therapy as indicated. Following severe exposure, the patient should be kept under medical review for at least 48 hours. The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
Protection of first-aiders:	: No action shall be taken involving any personal risk or without suitable training. If potential for exposure exists refer to Section 8 for specific personal protective equipment. First Aid responders should pay attention to self-protection and use the recommended protective clothing. It may be dangerous to the person providing the aid to give mouth to mouth resuscitation.

## Section 5. Fire-Fighting Measures

Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use CO <sub>2</sub> , foam or dry powder.
Unsuitable extinguishing media	: High volume water jets.
Specific hazards arising from the chemical	: Do not allow run-off from fire-fighting to enter drains or water courses. The pressure in sealed containers can increase under the influence of heat. Exposure to hazardous products may be hazardous to health.
Hazardous thermal decomposition products	<ul> <li>Decomposition products may include the following materials: Carbon Monoxide, Carbon Dioxide, nitrogen oxides, hydrocarbons and HCN and unburned hydrocarbon smoke.</li> </ul>
Specific extinguishing methods	: Cool containers/tanks with water spray.
Special protective equipment for fire fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.

### Section 5. Fire-Fighting Measures

#### Remarks

: Standard procedure for chemical fires. Due to reaction with water producing CO<sub>2</sub> gas, a hazardous build-up of pressure could result if contaminated containers are resealed. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **Section 6. Accidental Release Measures**

#### Personal precautions, protective equipment and emergency procedures,

For non emergency personal	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk thru spilled material. Avoid breathing vapor or mist.Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment( see section 8).
For emergency responders	: Use personal protective equipment. Immediately evacuate personnel to safe area. Ensure adequate ventilation. Keep away from and upwind of spill/leak. Only qualified personnel equipped with suitable protective equipment may intervene. Never return spills in original containers for re-use. Treat recovered material as described in section "Disposal considerations". For disposal considerations see section 13. Make sure there is a sufficient amount of neutralizing/absorbent material near the storage area. The danger areas must be delimited and identified using relevant warning and safety signs.
Enviromental precautions	: Do not allow uncontrolled discharge of product into the environment. Do not allow material to contaminate ground water system. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained. If product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	<ul> <li>Clean- up methods- small spillage.</li> <li>Dilute with plenty of water. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container and transfer to a container for disposal according to local/national regulations (See section 13). Clean contaminated surfaces thoroughly. Sweep up or vacuum up spillage and collect in suitable container for disposal. Neutralize small spillages with decontaminate. The compositions of liquid decontaminates are given in section 16. Remove and dispose of residues.</li> <li>Clean up methods- large spills</li> <li>If the product is in its solid form: Spilled MDI flakes should be picked up carefully. The area should be vacuum cleaned to remove remaining dust particles completely. If the product is in its liquid form: Absorb spillages with inert absorbent material ( e.g. sand, silica gel, acid binder, universal binder, saw dust). Leave to</li> </ul>
	react for at least 30 minutes. Shovel into open- top drums for further decontamination. Wash spillage area with water. Test atmosphere for MDI vapors. Keep in suitable, closed conatines for disposal.

### Section 7. Handling and Storage

#### Precautions for safe handling

Protective measures/Advice on general occupation hygiene	: Ensure that eyewash stations and safety showers are close to the workstation location. Use only with adequate ventilation. Normal measures for preventive fire protection. For personal protection see section 8. Avoid formation of aerosol. Do not breath vapors/dust. Avoid exposure-obtain special instruction before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Open container carefully as contents may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used.
Conditions for safe storage, including any incompatibilities	<ul> <li>Keep container tightly closed in a cool, well ventilated place. Observe label precautions. Electrical installations/working materials must comply with technological safety standards.</li> </ul>

## **Section 8. Exposure Controls/Personal Protection**

## Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
4,4'-Methylenediphenyl diisocyanate       ACGIH TLV (United States, 3/2012)         TWA: 0.005 ppm 8 hours       OSHA PEL (United States, 6/2010)         CEIL: 0.02 ppm		TWA: 0.005 ppm 8 hours OSHA PEL ( United States, 6/2010)
Protective measures	: Personal protective equipment comprising: suitable protective gloves, safety googles and protective clothing. The type of protective clothing must be selected according to the concentration and amount of the dangerous substance at the specific work place. Ensure that eye flushing systems and safety showers are located close to the working place.	
Hygiene measure:	: Handle in accordance with good industrial hygiene and safety practices. Wash face, hands and any exposed skin thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating area. When using do not eat or drink. When using do not smoke. Contaminated clothing should not be allowed outside the workplace. Wash hands before breaks and at end of workday.	
Eye/face protection	: Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases and dusts. Chemical splash goggles. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Ensure that eyewash stations and safety showers are close to the workstation location.	
Respiratory protection	approved stand selection must	fitted, air purifying or supplied air respirator complying with an lard if a risk assessment indicates this is necessary. Respirator be based on known or anticipated exposure levels, the hazards of the safe working limits of the selected respirator.

### **Section 8. Exposure Controls/Personal Protection**

### Skin Protection

Hand protection	<ul> <li>For prolonged or repeated contact use protective gloves. Protective gloves should be worn when handling freshly made polyurethane products to avoid contact with trace residual materials which may be hazardous in contact with skin.</li> <li>Use chemical resistant gloves classified under Standard EN374: protective gloves against chemicals and microorganisms. Examples of gloves material that might prove suitable protection include: Butyl rubber, Chlorinated polyethylene, Polyethylene, Ethyl vinyl alcohol copolymers laminated ("EVAL"), Polychloroprene ( Neoprene*), Nitrile/butadiene rubber (" nitrile" or"NBR"), Polyvinyl chloride ( "PVC" or "vinyl"), Fluoroelastomer ("Viton").</li> <li>When prolonged or frequent repeated contact may occur, a glove with protection class 5 or higher ( breakthrough time is greater than 240 minutes according to EN 374) is recommended.</li> </ul>
	<ul> <li>When only brief contact is expected, a glove with protection class 3 or higher</li> <li>(breakthrough time greater than 60 minutes accroding to EN 374) is recommended.</li> <li>Contaminated gloves should be decontaminated and diposed of.</li> <li>Notice: The selection of a specific glove for a particular application and duration of use in the workplace should also take into account all requisite workplace factors such as but not limited to: other chemicals that may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), as well as instructions/specifications provided by the glove manufacturer.</li> </ul>
Skin and Body protection	: Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place. Recommended: Overall (preferably heavy cotton) or Tyvek-Pro Tech "C", Tyvek-Pro "F" disposable coverall.
Respiratory protection	: Use a properly fitted, air purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## **Section 9. Physical and Chemical Properties**

**Appearance** 

Physical state	: Liquid
Color	: Light brown
Odor	: Slight, musty
Odor threshold	: Not available
pH	: Not applicable
Melting point	: Not applicable
Boiling point	: Not available
Flash Point	: Closed cup: >110 °C (>230 °F) [Seta closed cup]
Evaporation rate:	: Not available
Flammability (solid, gas)	: Not applicable
Lower & upper explosive	: Not available
(flammable) limits	
Vapor density	: Not available
Vapor pressure	: Not available
Relative density	: 1.2 (20 °C)
Density	: 1.23 g/cm <sup>3</sup> (20 °C)
Solubility-water	: Not available
Solubility-other solvents	: Not available
Partition coefficient: n-	: Not available
octanol/water	
Auto- ignition temperature	: Not available
Auto- ignition temperature	

## **Section 9. Physical and Chemical Properties**

Decomposition temperature
Self-accelerating
decomposition temperature
(SADT)
VOC
Viscosity

: Not available : Not available

#### : Not available : 55 mPa s (25 °C)

## Section 10. Stability and Reactivity

Reactivity Chemical stability Possibility of hazardous reactions	<ul> <li>No dangerous reaction is known under conditions of normal use.</li> <li>Stable at room temperature.</li> <li>Reaction with water (moisture) produces CO<sub>2</sub> – gas. Exothermic reaction with materials containing active hydrogen groups. The reaction becomes progressively more vigorous and can be violent at higher temperatures if miscibility of the reaction partners is good or is supported by the presence of solvents. MDI is insoluble with and heavier than water and sinks to the bottom but reacts slowly at the interface. A solid water-insoluble layer of polyuria is formed at the interface by liberating carbon dioxide gas.</li> </ul>
Conditions to avoid:	: Avoid high temperatures and direction sunlight. Exposure to air or moisture over prolonged periods.
Incompatible materials	Water, alcohols, amines, metals, bases and acids.
Hazardous decomposition products	: Combustion products may include: Carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO, NO <sub>2</sub> , etc.), hydrocarbons, dense black smoke and HCN. Burning produces noxious and toxic fumes.

### Section 11. Toxicological Information

#### Information on toxicological effects Acute toxicity

Product/ingredient name	Test	
4,4'-Methylenediphenyl	LD50 (Rate, male) :>10,000 mg/kg	
diisocyanate	Method: OECD Test Guideline 401	
	Acute dermal toxicity: LD50 (Rabbit, male and female): >9,400 mg/kg Method: OCED Test Guideline 402	
Isocyanic acid,	LD50 (Rate, male) :>10,000 mg/kg	
polymethylenepolyphenylene	Method: OECD Test Guideline 401	
ester	Acute dermal toxicity: LD50 (Rabbit, male and female): >9,400 mg/kg Method: OCED Test Guideline 402	
Diphenylmethane-2,4'- diisocyanate	Acute dermal toxicity: LD50 (Rabbit, male and female): >9,400 mg/kg Method: OCED Test Guideline 402	
Acute inhalation toxicity-Product	Acute toxicity estimate: 1.4 mg/l	
	Exposure time: 4 hours	
	Test atmosphere: dust/mist	
	Method: calculation method	
Acute toxicity (other routes of administration)	No data available	

#### Irritation/Corrosion

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl diisocyanate	Species: Rabbit Method: OECD Test Guideline 404	Irritating to skin
Isocyanic acid, polymethylenepolyphenylene ester	Species: Rabbit Assessment: Irritating to skin Method: OECD Test Guideline 404	Skin irritation
Diphenylmethane-2,4'- diisocyanate	Species: Rabbit Assessment: Irritant Method: OECD Test Guideline 404	Irritating to skin

#### Serious eye damage/eye irritation

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl diisocyanate	Species: Rabbit	Mild eye irritation
Isocyanic acid, polymethylenepolyphenylene ester	Species: Rabbit Assessment: Mild eye irritant Method: OECD Test Guideline 405	Irritation to eyes, reversing in 7 days
Diphenylmethane-2,4'- diisocyanate	Species: Human Assessment: Irritant Method: OECD Test Guideline 405	Irritation to eyes, reversing in 7 days Remark: mild eye irritation

#### **Respiratory or Skin Sensitization**

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl diisocyanate	Exposure routes: Skin Species: Mouse Method: OECD Test Guideline 429	May cause sensitization by skin contact.
	Exposure routes: Respiratory Tract Species: Guinea pig Method: OECD Test Guideline 429	May cause sensitization by inhalation.
Isocyanic acid, polymethylenepolyphenylene ester	Exposure routes: Skin Species: Guinea Pig Method: OECD Test Guideline 406	May cause sensitization by skin contact.
	Exposure routes: Respiratory Tract Species: Rat	May cause sensitization by inhalation.
Diphenylmethane-2,4'- diisocyanate	Exposure routes: Skin Species: Mouse Assessment: May cause sensitization by skin contact	Causes sensitization.
	Exposure routes: Respiratory Tract Species: Guinea pig Assessment: May cause sensitization by inhalation	Causes sensitization.

#### **Components:**

#### 4,4'-Methylenediphenyl diisocyanate

Assessment: May cause sensitization by inhalation and skin contact.

#### Isocyanic acid, polymethylenepolyphenylene ester

Assessment: May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Diphenylmethane-2,4'- diisocyanate

Assessment: Mild eye irritation.

Germ Cell mutagenicity

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl	Genotoxicity in vitro	Negative
diisocyanate	Concentration: 200 ug/plate	_
	Metabolic activation: with and without metabolic	
	activation	
	Method: Directive 67/548/EEC, Annex, B. 13/14	
	Genotoxicity in vitro	Negative
	Application route: Inhalation	
	Exposure time: 3 weeks	
	Dose: 118 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 474	
Isocyanic acid,	Genotoxicity in vitro	Negative
polymethylenepolyphenylene	Concentration: 200 ug/plate	
ester	Metabolic activation: with and without metabolic	
	activation	
	Method: Directive 67/548/EEC, Annex, B. 13/14	
	Genotoxicity in vitro	Negative
	Not classified due to inconclusive data.	
	Application route: Inhalation	
	Exposure time: 3 weeks	
	Dose: 113 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 474	
Diphenylmethane-2,4'-	Genotoxicity in vitro	Negative
diisocyanate	Metabolic activation: with and without metabolic	
	activation	
	Method: OECD Test Guideline 471	
	Genotoxicity in vitro	Negative
	Application route: Inhalation	
	Exposure time: 3 weeks	
	Dose: 118 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 474	

#### **Components:**

#### Isocyanic acid, polymethylenepolyphenylene ester

Germ cell mutagenicity- : Test on bacterial or mammalian cell cultures did not show mutagenic effects. assessment.

#### **Carcinogenicity**

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl	Species: Rat, (Male and female)	Positive
diisocyanate	Application Route: Inhalation	Target organs: Lungs
-	Exposure time: 24 months	
	Dose 1 mg/m <sup>3</sup>	
	Frequency of treatment: 5 daily	
	Method: OECD Test Guideline 453	
Isocyanic acid,	Species: Rat, (Male and female)	Positive
polymethylenepolyphenylene	Application Route: Inhalation	
ester	Exposure time: 24 months	
	Dose 1 mg/m <sup>3</sup>	
	Frequency of treatment: 5 daily	
	Method: OECD Test Guideline 453	
Diphenylmethane-2,4'-	Species: Rat, (Male and female)	Positive
diisocyanate	Application Route: Inhalation	Target organs: Lungs
	Exposure time: 24 months	
	Dose 1 mg/m <sup>3</sup>	
	Frequency of treatment: 5 daily	
	Method: OECD Test Guideline 453	
Carcinogenicity – Assessment	: No data available	
IARC	No components of this product present at levels greater than or equal to 0.1% is	
	identified as probable, possible, or confirmed h	numan carcinogen by IARC.
	No componente of this product propert at lovels greater than or equal to 0.1% in	

identified as probable, possible, or confirmed human carcinogen by IARC.
No components of this product present at levels greater than or equal to 0.1% is
identified as carcinogen or potential carcinogen by ACGIH.
No components of this product present at levels greater than or equal to 0.1% is
identified as carcinogen or potential carcinogen by OSHA.
No components of this product present at levels greater than or equal to 0.1% is
identified as a known or anticipated carcinogen by NTP.

#### Reproductive Toxicity

Product/ingredient name	Test	Results
4,4'-Methylenediphenyl	Effect on fetal development	No teratogenic effects.
diisocyanate	Species: Rat, female	
	General Toxicity Maternal: No observed adverse effect	
	level: 4 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 414	
Isocyanic acid,	Effects on fertility	No significant adverse
polymethylenepolyphenylene	Species: Rat, (Male and female)	effects were reported.
ester	Application Route: Inhalation	
	Method: OECD Test Guideline 414	
	Effect on fetal development	No teratogenic effects.
	Species: Rat, male and female	
	Application route: Inhalation	
	General Toxicity Maternal: 4 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 414	

#### Reproductive Toxicity (cont.)

Product/ingredient name	Test	Results
Diphenylmethane-2,4'-	Effects on fertility	Animal testing did not
diisocyanate	Species: Rat, female	show any effects on
	Application Route: Inhalation	fertility.
	Method: OECD Test Guideline 414	
	Effects on fertility	Animal testing did not
	Species: Rat, male	show any effects on
	Application Route: Inhalation	fertility.
	Method: OECD Test Guideline 414	
	Effect on fetal development	No teratogenic effects.
	Species: Rat, female	_
	General Toxicity Maternal: No observed adverse effect	
	level: 4 mg/m <sup>3</sup>	
	Method: OECD Test Guideline 414	

#### **Components**

#### Isocyanic acid, polymethylenepolyphenylene ester

Reproductive toxicity:	:
Assessment	:

No toxicity to reproduction

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### STOT- Single exposure

Product/ingredient name	Test
4,4'-Methylenediphenyl	Exposure route: Inhalation
diisocyanate	Target organs: respiratory Tract Assessment: May cause respiratory irritation
Isocyanic acid, polymethylenepolyphenylene ester	Exposure route: Inhalation Target organs: respiratory Tract Assessment: May cause respiratory irritation
Diphenylmethane-2,4'- diisocyanate	Exposure route: Inhalation Target organs: respiratory Tract Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### STOT- repeated exposure: No data available

#### Repeated dose toxicity

Product/ingredient name	Test
4,4'-Methylenediphenyl	Species: Rat, male and female
diisocyanate	Dose: 0.2 mg/m <sup>3</sup>
	Exposure time: 2 years
	Number of exposures: 5 d
	Method: OECD Test Guideline 453
Isocyanic acid,	Species: Rat, male and female
polymethylenepolyphenylene	Dose: 0.2 mg/m <sup>3</sup>
ester	Test atmosphere: dust/mist
	Exposure time: 2 years
	Number of exposures: 5 d
	Method: OECD Test Guideline 453

#### Repeated dose toxicity (cont.)

Product/ingredient name	Test
Diphenylmethane-2,4'-	Species: Rat, male and female
diisocyanate	Dose: 0.2 mg/m <sup>3</sup>
	Test atmosphere: dust/mist
	Exposure time: 2 years
	Number of exposures: 5 d
	Method: OECD Test Guideline 453

#### **Components:**

Diphenylmethane-2,4'- diisocyanate Repeated dose toxicity : Mild eye irritation Assessment

Aspiration Toxicity	: No data available
Experience with human exposure General information Inhalation Skin contact Eye contact	<ul> <li>No data available.</li> </ul>
Ingestion Toxicology, Metabolism, Distribution Neurological effects <u>Further information</u> Ingestion	<ul> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> <li>No data available.</li> </ul>

### Section 12. Ecological Information

Ecotoxicity Broduct/ingrodient name	Test
Product/ingredient name	Test
	Toxicity to fish
	LC50 (Brachydanio rerio (Zebrafish)): > 1,000 mg/l
	Exposure time: 96 hours
	Test type: static test
	Method: OECD Test Guideline 203
	Toxicity to daphnia and aquatic invertebrates
	EC50 (Daphnia magma (Water flea)): > 1,000 mg/l
	Exposure time: 24 hours
4,4'-Methylenediphenyl	Test type: static test
diisocyanate	Test substance: Fresh water
	Method: OECD Test Guideline 202
	Toxicity to daphnia and aquatic invertebrates (Chronic toxicity)
	NOEC (Daphnia magma (Water flea)): ≥ 10 mg/l
	Exposure time: 21 days
	Test type: semi-static test
	Test substance: Fresh water
	Method: OECD Test Guideline 211
	Toxicity to soil dwelling
	NOEC (Eisenia fetida (earthworms)): ≥ 1,000 mg/l
	Exposure time: 336 hours
	Method: OECD Test Guideline 207

#### Ecotoxicity (con't)

Product/ingredient name	Test
	Toxicity to fish
	LC50 (Brachydanio rerio (Zebrafish)): > 1,000 mg/l
	Exposure time: 96 hours
	Test type: static test
	Test substance: Fresh water
	Method: OECD Test Guideline 203
	LC0: > 1,000 mg/l
	Exposure time: 95 hours
	Toxicity to daphnia and aquatic invertebrates
	EC50 (Daphnia magma (Water flea)): > 1,000 mg/l
	Exposure time: 24 hours
	Test type: static test
	Test substance: Fresh water
	Method: OECD Test Guideline 202
	Toxicity to Algae
Isocyanic acid,	EC50 (Desmodesmus subspicatus (Secenedesmus subspicatus)): > 1,640 mg/l
polymethylenepolyphenylene	Exposure time: 72 hours
ester	Test type: static test
	Test substance: Fresh water
	Method: OECD Test Guideline 201
	M-Factor (Acute aquatic toxicity): No data available
	Toxicity to fish (Chronic toxicity): No data available
	Toxicity to daphnia and aquatic invertebrates (Chronic toxicity)
	NOEC (Daphnia magma (Water flea)): $\geq$ 10 mg/l
	Exposure time: 21 days
	Test type: semi-static test
	Test substance: Fresh water
	Method: OECD Test Guideline 211
	Toxicity to microorganisms
	EC50 (Activated sludge): > 100 mg/l
	Exposure time: 3 hours
	Test type: static test
	Test substance: Fresh water
	Method: OECD Test Guideline 209
	Toxicity to soil dwelling
	NOEC (Eisenia fetida (earthworms)): > 1,000 mg/l
	Exposure time: 336 hours
	Method: OECD Test Guideline 207
	Toxicity to fish
	LC50 (Brachydanio rerio (Zebrafish)): > 1,000 mg/l
	Exposure time: 96 hours
	Test type: static test
Diphenylmethane-2,4'-	Test substance: Fresh water
diisocyanate	Method: OECD Test Guideline 203
	Toxicity to daphnia and aquatic invertebrates
	EC50 (Daphnia magma (Water flea)): > 1,000 mg/l
	Ecso (Daphina magina (Water nea)). > 1,000 mg/i
	Test type: static test
	Test substance: Fresh water
	Method: OECD Test Guideline 202

#### Ecotoxicity (con't)

Product/ingredient name	Test
Diphenylmethane-2,4'- diisocyanate	Toxicity to daphnia and aquatic invertebrates (Chronic toxicity)NOEC (Daphnia magma (Water flea)): ≥ 10 mg/lExposure time: 21 daysTest type: semi-static testTest substance: Fresh waterMethod: OECD Test Guideline 211M-Factor (Chronic aquatic toxicity): No available dataToxicity to microorganismsEC50 (Activated sludge): > 100 mg/lExposure time: 3 hoursTest type: static testTest substance: Fresh waterMethod: OECD Test Guideline 209Toxicity to soil dwellingNOEC (Eisenia fetida (earthworms)): ≥ 1,000 mg/lExposure time: 336 hours
	Method: OECD Test Guideline 207
Plant toxicity	: No data available
Sediment toxicity	: No data available
Toxicity to terrestrial	: No data available
organisms	
Ecotoxiciology Assessment Acute aquatic toxicity	: No data available
Chronic aquatic toxicity	: No data available
Toxicity Data on Soil	: No data available
Other organism relevant to the environment	: No data available

#### Persistence and degradabilty

Product/ingredient name	Test	Result
4,4'-Methylenediphenyl	Biodegradability	Not biodegradable
diisocyanate	Inoculm: Domestic sewage	
	Concentration: 30 mg/l	
	Exposure time: 28 days	
	Method: Inherent Biodegradability: Modified MITI Test (II)	
Isocyanic acid,	Biodegradability	Not biodegradable
polymethylenepolyphenylene	Inoculm: Domestic sewage	
ester	Concentration: 30 mg/l	
	Biodegration: 0%	
	Exposure time: 28 days	
	Method: Inherent Biodegradability: Modified MITI Test (II)	
Diphenylmethane-2,4'-	Biodegradability	Not biodegradable
diisocyanate	Inoculm: Domestic sewage	
	Concentration: 30 mg/l	
	Biodegration: 0%	
	Exposure time: 28 days	
	Method: Inherent Biodegradability: Modified MITI Test (II)	

Biochemical Oxygen Demand (BOD)	: No data available
Chemical Oxygen Demand	: No data available
(COD)	
BOD/COD	: No data available
ThOD	: No data available
BOD/ThOD	: No data available
Dissolved organic carbon	: No data available
(DOC)	
Physico-chemical	: No data available
removability	

#### **Components:**

#### 4,4'-Methylenediphenyl diisocyanate

Stability in water	Degradation half-life (DT50): 20 hours (25 °C)
-	Method: no information available
	Remarks: Fresh water
Isocyanic acid, polymethyler	nepolyphenylene ester
Stability in water	: Degradation half-life (DT50): 0.8 days (25 °C)
	Method: no information available
	Remarks: Fresh water
Photodegradation	: No data available
Impact on sewage	: No data available
treatment	

#### **Bioaccumulation potential**

Product/ingredient name	Test
	Bioaccumulation
	Species: Cyprinus carpio (Carp)
4,4'-Methylenediphenyl	Bioconcentration factor (BCF):200
diisocyanate	Remarks: Bioaccumulation is unlikely
	Partition coefficient: n-octanol/water
	Log Pow: 4.51 (20 °C)
	pH:7
	Method: OCED Test Guideline 117
Isocyanic acid,	Bioaccumulation
polymethylenepolyphenylene	Species: Cyprinus carpio (Carp)
ester	Bioconcentration factor (BCF):200
	Remarks: Bioaccumulation is unlikely
	Bioaccumulation
	Species: Cyprinus carpio (Carp)
Diphenylmethane-2,4'-	Bioconcentration factor (BCF):200
diisocyanate	Remarks: Bioaccumulation is unlikely
	Partition coefficient: n-octanol/water
	Log Pow: 4.51 (20 °C)
	pH:7
	Method: OCED Test Guideline 117

#### Mobility in soil

Mobility	: No data available
Distribution among	: No data available
environmental compartments	
Stability in soil	: No data available

Polyguard Products, Inc.

Other adverse effects
-----------------------

Environmental fate and pathways	: No data available
Results of PBT and vPvB assessment	: No data available
Endocrine disrupting potential	: No data available
Adsorbed organic bound halogens (AOX)	: No data available
Hazardous to the ozone layer	
Ozone-Depletion Potential	: Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone- CAA Section 602 Class I Substance.
	Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App. A + B).
Additional ecological information	: No data available
Global warming potential (GWP)	: No data available

### Section 13. Disposal Considerations

**Disposal methods** 

#### : Waste from residues

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. **Contaminated Packaging** 

Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### Section 14. Transport Information

	Proper shipping name	UN/NA Number	Class	P G *	Additional information
DOT	Other Regulated Substance, Liquid, N.O.S. (Methylene Diphenyl Diisocyanate)	NA 3082	9		Small containers may not require the class 9 labeling. Refer to current DOT regulations.
TDG	Not regulated	-	-	-	-
IMDG	Not regulated	-	-	-	-
IATA	Not regulated	-	-	-	-

PG\*: Packing group, ERG code 171

### **Section 15. Regulatory Information**

Safety, health and environmental regulations specific for the product

United States Regulations TSCA 5(a)2 final significant : No ingredients listed. new use rule (SNUR)

Polyguard Products, Inc.

### Section 15. Regulatory Information

TSCA 12(b) export notification	: No ingredients listed.
SARA 311/312	: Immediate (acute) health hazard.

	Product name	CAS #	Concentrations %
SARA 313 Form R- Reporting	4,4'-Methylenediphenyl	101-68-8	50-70
requirements	diisocyanate		
	Isocyanic acid,	9016-87-9	30-50
	polymethylenepolyphenylene		
	ester		

The following chemical is listed as HAP under the U.S. Clean Air act, Section 12 (40 CFR 61)

Product name	<u>CAS #</u>	Concentrations %
4,4'-Methylenediphenyl diisocyanate	101-68-8	53.62 %

#### EPCRA- Emergency Planning and Community Right -to- Know Act

#### CERCLA Reportable Quantity

Components	CAS #	Components RQ	Calculated product RQ
		(Lbs)	(Lbs)
Chlorobenzene	108-90-7	100	*
4,4'-Methylenediphenyl diisocyanate	101-68-8	5000	9324*

\* Calculated RQ exceeds reasonably attainable upper limit.

#### State Regulations

California Prop 65

: This product does not contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

### **Section 16. Other Information**

#### Hazardous Material Information System (USA) Health -2\* Flammability-1 F

 Health -2\*
 Flammability-1
 Physical hazards-0

 Caution: HMIS® rating are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

 Although HMIS® ratings are not required on SDSs under 29 CFR1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with fully implemented HMIS® program. HMIS® is a registered trademark of the National Paint & Coating Association (NPCA). HMIS® materials may be purchased exclusively from J.J. Keller.

#### National Fire Protection Association (USA) NFPA 704

Health -2

Flammability-1

Instability-0

Special- N/A

NFPA-704 was copyrighted by the National Fire Protection Association of Quincy, MA. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactive hazards of chemicals. The user is referred to certain limited number of with recommended classifications in NFPA 49 and NFPA 325, which would be used as guidelines only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Liquid decontaminates (percentages by weight or volume)

Decontaminate 1: \*- sodium carbonate: 5-10 % \* - liquid detergent: 0.2-2% \*- Water: to make up 100 % Decontaminate 2: \*- concentrated ammonia solution: 3-8 % \* - liquid detergent: 0.2-2% \*- Water: to make up 100 % Decontaminate 1 reacts slower with diisocyanates but is more environmentally friendly that decontaminate 2. Decontaminate 2 contains ammonia. Ammonia presents health hazards. (See supplier safety information).

### Section 16. Other Information

Date of revision	: 9/13/18
Date of previous issue	: 5/8/15
Revisions:	<ul> <li>Update chemical composition percentages, information on first aid responses, fire- fighting response, storage and handling information, physical properties, and regulatory information.</li> </ul>
Version	: 4
Prepared by	: C. Rogalski

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.