



COMMITMENT TO SUSTAINABILITY



Never before has the impact of sustainable construction been so important than it is in our world today. Since day one Chem Link has been an environmentally conscious company. Our corporate commitment can be summarized in three primary categories of our business:

- **Engaged Employees**
- **Products & Sustainable Development**
- **Responsible Manufacturing**

Our specialty lies in the development of Silyl Terminated Polyether Technology (STPE). Inherently solvent free with little to no VOC content, this technology poses no threat to installers or building occupants and is environmentally friendly. These products are used throughout the SOPREMA Group of companies in a variety of applications and types of construction.

As a SOPREMA Group company, being on the forefront of responsible product design, sustainable operations and engaging our employees to participate in pushing the envelope for a greener tomorrow, has been at the heart of the company's mission and core values for years.



ADHESIVES, SEALANTS, SYSTEMS & ACCESSORIES

RESIDENTIAL ■ COMMERCIAL ■ SPECIALTY



ROOFING

Chem Link offers a variety of non-toxic, solvent free roofing sealants and adhesives, in both the capstone polyether and innovative silicone technologies. The essential **M-1® Universal Adhesive & Sealant** product is unmatched, bonding and sealing a wide range of construction materials, while the **DuraLink®** line accommodates joint movement and color matching. Chem Link's unique **E-Curb®** system is designed specifically for sealing roof penetrations of any size or shape.



CONCRETE & MASONRY

NovaLink® is a line of non-toxic, high quality, moisture curing elastomeric waterproofing sealants that are designed to be used with many building materials, while withstanding damp, dry or cold conditions.



SPECIALTY

Chem Link offers a line of specially formulated products for highly sensitive clean rooms, below-water marine applications and sealing close fitting joints and seams in recreational vehicles.



WINDOWS, DOORS, & SIDING

Chem Link's **DuraLink®** product line offers a high quality, moisture cure sealant that are 100% solid and will not shrink. With multiple joint movement options, the ability to bond to most construction materials and extensive color matching, it's the perfect line for sealing around windows, doors and siding.



MULTI-PURPOSE

Chem Link offers several multi-purpose products in both the capstone polyether and innovative silicone technologies to seal a wide range of construction materials. The **M-1® Universal Adhesive & Sealant** is essential on any jobsite. Another multi-purpose sealant, **Clear**, comes in a transparent formulation for multiple applications and surfaces.



FLOORING & WALLS

The **Secure** product line includes adhesives for bonding drywall, gypsum, stone, foam and ceiling systems along with a fast setting structural adhesive for "panel on frame" assemblies in commercial and residential construction.



NovaLink[®]

NovaLink sealants cure to a durable elastomeric rubber with excellent adhesion to common building materials. In addition, NovaLink sealants provide important properties not typically found in common concrete sealants such as urethanes and acrylics.

- Solvent free, 100% solids - will not shrink
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Good color stability
- Paintable within 24 hours



Polyether Technology Ideal for Damp Concrete

Polyether chemistry at work: moisture actually speeds up curing, unlike typical urethanes, which bubble on damp concrete, making NovaLink ideal for damp concrete surfaces.



NovaLink 35 Joint Sealant

NovaLink 35 is a multi-purpose, moisture cure, construction sealant specially formulated for application in damp, dry and cold conditions. NovaLink 35 is UV resistant and will not suntan. NovaLink 35 is designed for use with many building materials including concrete, glass, metal and most roofing materials. NovaLink 35 seals expansion joints, flashings, windows, doors, and roofing joints. NovaLink 35 is isocyanate free, paintable and SWRI validated for \pm 35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1240	10.1 oz cartridge/24 per carton	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
		Black	Almond	Terra Cotta	Redwood Tan	
F1253	20 oz sausage/12 per carton	Stone	Limestone	Aluminum Gray	Gray	
F1245*	2 gallon pail	Tan	Black	<small>*Available by made to order</small>		
F1246*	5 gallon pail					
F18101*	50 gallon drum					



NovaLink TX Texturized Elastomeric Sealant

NovaLink TX is a gun grade polyether, moisture cure, texturized elastomeric sealant, formulated for use on expansion joints where a textured appearance is required. NovaLink TX has excellent adhesion to most construction materials including cementitious siding, concrete, glass, roofing, metal and Kynar 500® PVDF-coated metals. NovaLink TX is isocyanate free, paintable and SWRI validated for \pm 35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1241	10.1 oz cartridge/24 per carton	White	Stone	Gray	Dark Bronze	
		Black	Redwood Tan	Special Bronze	Special Gray	
F1248*	20 oz sausage/12 per carton	<small>*Available by made to order</small>				



NovaLink SL Pool & Deck Joint Sealant

NovaLink SL Pool & Deck Joint Sealant is a self-leveling, moisture cure, construction sealant specially formulated for application in damp or dry horizontal concrete expansion joints. NovaLink SL Pool & Deck Joint Sealant levels to a smooth even finish and bonds well to masonry, wood, aluminum, steel, slate, natural stone, clay tile, aged asphalt, and most other construction materials. It will not outgas or bubble when applied to damp concrete. NovaLink SL Pool & Deck Joint Sealant is isocyanate free, paintable and validated for \pm 25% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S)			APPLICATIONS
F1239	68 oz/4 per carton	Gray	Stone	Charcoal Gray	

Note: In stock colors subject to change based on seasonal availability.