# **785 Asphalt Emulsion Trowel Grade** by Henry Company

Health Product Declaration v2.0

created via: HPDC Online Builder

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: 785 ASPHALT EMULSION TROWEL GRADE IS A HEAVY BODIED PRODUCT DESIGNED FOR DAMPPROOFING THE EXTERIOR SIDE OF BELOW-GRADE FOUNDATIONS AND WALLS. ABOVE GRADE, 785 ASPHALT EMULSION TROWEL GRADE PROVIDES A "BREATHABLE" MOISTURE BARRIER USED FOR DAMPPROOFING EXTERIOR WALLS IN CAVITY WALL CONSTRUCTION. THIS HEAVY BODIED EMULSION IS MADE FROM SELECTED ASPHALT, EMULSIFIED WITH BENTONITE CLAY, CELLULOSE FIBERS, AND WATER. IT CONTAINS NO SOLVENTS.

_
_
_

CONTENT

### **Section 1: Summary**

INVENTORY		Based on the selected Content Inventory Threshold:		
	Residuals and			
Threshold per	impurities	Characterized	•	0
material	considered in	Are the Percent Weight and Role provided for all substances?	Yes	No
<b>1</b> 00 ppm	1 of 1 materials	Screened	•	0
O 1,000 ppm O Per GHS SDS O Per OSHA MSDS	<ul><li>see Section 2:</li><li>Material Notes</li><li>see Section 5:</li></ul>	Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Onther	General Notes	Identified	•	0
Other	General Notes	Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

785 ASPHALT EMULSION [ WATER BM-4 ASPHALT LT-1 | CAN KAOLIN CLAY LT-UNK | CAN BENTONITE LT-UNK ENGLISH FULLERS EARTH UNK SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-UNK | MAM QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI ]

INVENTORY AND SCREENING NOTES:

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 42 Regulatory (g/l): Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A **CERTIFICATIONS AND COMPLIANCE** 

No certifications have been added to this HPD.

● Self-Published\* VERIFIER: SCREENING DATE: January 21, 2017 EXPIRY DATE\*: January 21, 2020 Third Party Verified VERIFICATION #: RELEASE DATE: January 21, 2017 \* or within 3 months of significant changes.

\*See HPDC website for details

\* or within 3 months of significant change in product contents

## Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

WATER			ID: 7732-18-5		
%: 40.0000 - 50.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent/carrier	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	S:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
ASPHALT		ID: 8052-42-4			
%: 30.0000 - 50.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterproofing/flexibility	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	S:	
CANCER	IARC		Group 2b - Poss	sibly carcinogenic to humans	
CANCER	US CDC - Occupational Carcinogens Occupational Carcinogen		arcinogen		
CANCER	MAK	MAK Carcinogen Group 2 - Considered to be carcinogenic for man			
SUBSTANCE NOTES: I	ARC considers asphalt t	to be carcinogenic in road pa	ving operations. This produ	ct is not used for that purpose.	
KAOLIN CLAY			ID: 1332-	58-7	
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	S:	
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

BENTONITE			ID: 1302-78-9		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists			lists	
SUBSTANCE NOTES:					
ENGLISH FULLERS EAF	<b>RTH</b>		ID: 8031-18	3-3	
%: 1.0000 - 5.0000	GS: UNK	RC: None	NANO: NO	ROLE: Thixotrope	
HAZARDS:		AG	ENCY(IES) WITH WARNINGS:	:	
None Found		No	warnings found on HPD Priority	lists	
SUBSTANCE NOTES:					
SOLVENT NAPHTHA (P	ETROLEUM), MEDIUM	ALIPHATIC	ID: 64742-8	88-7	
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Coalescing Agent	
HAZARDS:	HAZARDS: AGENCY(IES) WITH WARNINGS:				
MAMMALIAN	EU - GHS (H-Statements)  H304 - May be fatal if swallowed and enters airways			tal if swallowed and enters	
ORGAN TOXICANT	EU - GHS (H-Statements)  H372 - Causes damage to organs throuprolonged or repeated exposure				
SUBSTANCE NOTES:					
QUARTZ ————————————————————————————————————	ID: 14808-60-7		60-7		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:	S: AGENCY(IES) WITH WARNINGS:				
CANCER	US CDC - Occupational Carcinogens		Occupational Car	Occupational Carcinogen	
CANCER	CA EPA - Prop 65		Carcinogen - spe exposure route	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC		Group 1: Agent is inhaled from occu	Group 1: Agent is carcinogenic to humans - inhaled from occupational sources	
CANCER	US NIH - Report on Carcinogens			Known to be Human Carcinogen (respirable size - occupational setting)	

CANCER	MAK		Carcinogen Gro cancer in man	up 1 - Substances that cause
SUBSTANCE NOTES: Not present in a respirable form.				
SULFUR		ID: 7704-34-9		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	3:
SKIN IRRITATION	EU - R-phrases		R38 - Irritating to skin	
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation	
SUBSTANCE NOTES:				



### **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



### **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



### **Section 5: General Notes**

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

**Hazard Types** 

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspeci ed (insu cient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

**Declaration Level** 

**Self-declared** Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.