

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Page: 1/9

### 1 Identification

· Product identifier

· Trade name: DynaTrol II SG Activator

· Other means of identification: DynaTrol II Slope Grade Part A - Activator

· Recommended use and restriction on use

· Recommended use: Activator

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Pecora Corporation 165 Wambold Road Harleysville, PA 19438 215-723-6051

· Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to the respiratory system through prolonged or repeated

exposure. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

- · Signal word: Danger
- · Hazard statements:

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H373 May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

(Cont'd. on page 2)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

### Trade name: DynaTrol II SG Activator

(Cont'd. of page 1)

#### · Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves and eye protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.
P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components	S:	
101-68-8	4,4'-methylenediphenyl diisocyanate	10-20%
	Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate	<5%
	Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
25686-28-6	4,4'-Methylenediphenyl diisocyanate, oligomers	<5%
	Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
150449-03-9	1,2-Propanediol, 1,3-butanediol, tripropylene glycol, diphenylmethane diisocyanate polymer	<5%
	Resp. Sens. 1, H334  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Trade name: DynaTrol II SG Activator

(Cont'd. of page 2)

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air: consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove any clothing soiled by the product.

Clean with water and soap. If possible, also wash with polyethylene glycol 400.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Irritating to eyes, respiratory system and skin.

Allergic reactions

Cyanosis

- · Danger: Harmful if inhaled.
- · Indication of any immediate medical attention and special treatment needed:

Contains 4,4'-methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate, 1,2-Propanediol, 1,3-butanediol, tripropylene glycol, diphenylmethane diisocyanate polymer, 4,4'-Methylenediphenyl diisocyanate, oligomers. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

If blue coloring appears (lips, ear-lobes, finger-nails), give oxygen treatment as quickly as possible.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 4)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

### Trade name: DynaTrol II SG Activator

(Cont'd. of page 3)

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

- Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Open and handle receptacle with care.

Keep out of reach of children.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Ensure good ventilation/exhaustion at the workplace.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

Components w	rith limit values that require monitoring at the workplace:	
101-68-8 4,4'-m	ethylenediphenyl diisocyanate	
PEL (USA)	Ceiling limit value: 0.2 mg/m³, 0.02 ppm	
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.051 mg/m³, 0.005 ppm	
EL (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.01 ppm S(R)	
EV (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm	
LMPE (Mexico)	Long-term value: 0.005 ppm	
5873-54-1 o-(p-	isocyanatobenzyl)phenyl isocyanate	
EL (Canada)	Long-term value: 0.005 ppm	
		(Cont'd. on page





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Trade name: DynaTrol II SG Activator

Ceiling limit value: 0.01 ppm

(Cont'd. of page 4)

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

- Engineering controls: No relevant information available.
- · Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

 Material of gloves Butyl rubber, BR Nitrile rubber, NBR

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

· Risk management measures No special requirements.

# 9 Physical and chemical properties

Appearance:		
Form:	Viscous liquid.	
Color:	Clear	
	Amber colored	
Odor:	Not determined.	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	>104.4 °C (>219.9 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Trade name: DynaTrol II SG Activator

(Cont'd. of page 5)

· Explosion limits

Lower: Not determined.
Upper: Not determined.
Oxidizing properties: Non-oxidizing.

· Vapor pressure: Not determined.

· Density:

Relative density: 1.04

Vapor density: Not determined. Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Slowly reacts with water.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

· VOC content: 0 g/l

• Other information No relevant information available.

### 10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with amines.

Reacts with alcohols.

Reacts with strong oxidizing agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Isocyanate

Nitrogen oxides (NOx)

Hydrogen cyanide (prussic acid)

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Harmful if inhaled.
- · LD/LC50 values that are relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2200 mg/kg (mouse)

(Cont'd. on page 7)



Page: 7/9

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

### Trade name: DynaTrol II SG Activator

(Cont'd. of page 6)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eve: Causes eve irritation.
- · Sensitization:

Contains 4,4'-methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate, 1,2-Propanediol, 1,3-butanediol, tripropylene glycol, diphenylmethane diisocyanate polymer, 4,4'-Methylenediphenyl diisocyanate, oligomers. May produce an allergic reaction.

May cause sensitization by inhalation and skin contact.

## · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

### · Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · **STOT-single exposure:** May cause respiratory irritation.
- · STOT-repeated exposure:

May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Trade name: DynaTrol II SG Activator

(Cont'd. of page 7)

Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

101-68-8 4,4'-methylenediphenyl diisocyanate

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

(Cont'd. on page 9)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 20, 2020

Trade name: DynaTrol II SG Activator

(Cont'd. of page 8)

101-68-8 4,4'-methylenediphenyl diisocyanate

D, CBD

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com