




SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product:	AIR-SHIELD™ LMP (Low VOC)	Part Number: 6525055000
Manufacturer:	W. R. MEADOWS, INC.	Address: 300 Industrial Drive Hampshire, Illinois 60140
Telephone:	(847) 214-2100	In case of emergency, dial (800) 424-9300 (CHEMTREC)
Revision Date:	8/28/2023	
Product Use:	Permeable Air Barrier	

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HMIS	HAZARD STATEMENTS
Health 1	WARNING!
Flammability 0	Causes mild skin irritation. (Category 3)
Reactivity 0	May cause damage to organs through prolonged repeated exposure. (Category 2)
Personal Protection	PRECAUTIONARY STATEMENTS Avoid direct contact.



SECTION 3: HAZARDOUS COMPONENTS

<u>Chemical Name:</u>	<u>CAS Number</u>	<u>% by Weight</u>	<u>SARA 313</u>	<u>Vapor Pressure (mm Hg@20°C)</u>	<u>LEL (@25°C)</u>
1. Chloro Alkenes	68527-02-6	5-10	No	N/E	N/E

N/E: Not Established

This product contains Limestone. Limestone contains crystalline silica as a naturally occurring component. Exposure to silica is not expected to occur as the product is supplied as a solution. If product is dried/abraded, appropriate protective measures should be taken to prevent exposure to silica.

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Flush eyes with water for fifteen (15) minutes. If irritation develops/persists, seek medical attention.
SKIN CONTACT: Wash affected areas with mild soap and water. If symptoms persist, seek medical attention.
INHALATION: Remove victim from exposure source and into fresh air. Treat symptomatically.
INGESTION: Seek immediate medical attention. If vomiting spontaneously occurs, keep victim's head below the hips to prevent lung aspiration.
MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: No flash at 212 °F (Open Cup Method 1010A-M)
EXTINGUISHING MEDIA: Water fog, foam, dry chemical.
CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, Carbon dioxide, and incomplete combustion products.
PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: None recognized.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate hazard area of unauthorized personnel. Dike and contain spilled material. Remove source of spill if safe to do so. Soak up spill if safe to do so. Soak up material utilizing sand or other suitable absorbent. Place in sealed, marked containers for disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact.
SAFE STORAGE: Keep containers closed when not in use. Protect product from freezing.

SAFETY DATA SHEET

Date of Preparation: 08/28/23

Page 2 of 3

6525055000

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name:	OSHA				ACGIH			
	PEL	PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN
1. Chloro Alkenes	N/E	N/E	N/E	No	N/E	N/E	N/E	N/E

N/E = Not Established

ENGINEERING CONTROLS: None required under normal use conditions.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/E	VAPOR DENSITY: >1 (air=1)	% VOLATILE BY VOLUME: N/E
EVAPORATION RATE: N/E	pH LEVEL: N/E	% VOLATILE BY WEIGHT: N/E
WEIGHT PER GALLON: 11.28	PRODUCT APPEARANCE: Gray Liquid	VOC CONTENT: 36 g/L
ODOR: Mild Organic	ODOR THRESHOLD: N/D	MELTING/FREEZING POINT: N/D
FLASH POINT: See Section 5	FLAMMABILITY: N/D	UEL/LEL: N/D
VAPOR PRESSURE: N/D	RELATIVE DENSITY: N/D	SOLUBILITY: N/D
PARTITION COEFFICIENT: N/D	AUTOIGNITION TEMPERATURE: N/D	DECOMPOSITION TEMPERATURE: N/D
VISCOSITY: N/D	<i>N/D: Not Determined</i>	<i>N/E: Not Established</i>

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. **HAZARDOUS POLYMERIZATION:** Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and incomplete combustion products.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Direct contact may result in mild irritation.

SKIN CONTACT: Direct contact may result in mild irritation.

INHALATION: Not anticipated to be an exposure route.

INGESTION: Not anticipated to be an exposure route.

SIGNS AND SYMPTOMS: Symptoms of eye irritation include pain, tearing, reddening, and swelling. Symptoms of skin irritation include reddening, swelling, rash, and redness.

AGGRAVATED MEDICAL CONDITIONS: None recognized.

OTHER HEALTH EFFECTS: None recognized.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: N/E	DEGRADABILITY: N/E	BIOACCUMULATIVE POTENTIAL: N/E
SOIL MOBILITY: N/E	OTHER ADVERSE EFFECTS: N/E	<i>N/E = Not Established</i>

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Non-hazardous material for waste classification purposes. Solid material can be landfilled.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Not Hazardous

UN NUMBER: None **HAZARD CLASS:** None **PACKING GROUP:** None

UN PROPER SHIPPING NAME: None

ENVIRONMENTAL HAZARDS: None recognized.

BULK TRANSPORTATION INFORMATION: N/A; product not shipped in bulk.

SPECIAL PRECAUTIONS: Protect product from freezing. *N/A = Not Applicable*

SECTION 15: REGULATORY INFORMATION

OTHER REGULATORY CONSIDERATIONS: None

SAFETY DATA SHEET

Date of Preparation: 08/28/23	Page 3 of 3	6525055000
SECTION 16: OTHER INFORMATION		
PREPARATION DATE:	8/28/2023	
PREPARED BY:	Dave Carey	

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.
