




COMMITMENT TO SUSTAINABILITY



Never before has the impact of sustainable construction been so important than it is in our world today. Since day one Chem Link has been an environmentally conscious company. Our corporate commitment can be summarized in three primary categories of our business:

- **Engaged Employees**
- **Products & Sustainable Development**
- **Responsible Manufacturing**

Our specialty lies in the development of Silyl Terminated Polyether Technology (STPE). Inherently solvent free with little to no VOC content, this technology poses no threat to installers or building occupants and is environmentally friendly. These products are used throughout the SOPREMA Group of companies in a variety of applications and types of construction.

As a SOPREMA Group company, being on the forefront of responsible product design, sustainable operations and engaging our employees to participate in pushing the envelope for a greener tomorrow, has been at the heart of the company's mission and core values for years.



ADHESIVES, SEALANTS, SYSTEMS & ACCESSORIES

RESIDENTIAL ■ COMMERCIAL ■ SPECIALTY



ROOFING

Chem Link offers a variety of non-toxic, solvent free roofing sealants and adhesives, in both the capstone polyether and innovative silicone technologies. The essential **M-1® Universal Adhesive & Sealant** product is unmatched, bonding and sealing a wide range of construction materials, while the **DuraLink®** line accommodates joint movement and color matching. Chem Link's unique **E-Curb®** system is designed specifically for sealing roof penetrations of any size or shape.



CONCRETE & MASONRY

NovaLink® is a line of non-toxic, high quality, moisture curing elastomeric waterproofing sealants that are designed to be used with many building materials, while withstanding damp, dry or cold conditions.



SPECIALTY

Chem Link offers a line of specially formulated products for highly sensitive clean rooms, below-water marine applications and sealing close fitting joints and seams in recreational vehicles.



WINDOWS, DOORS, & SIDING

Chem Link's **DuraLink®** product line offers a high quality, moisture cure sealant that are 100% solid and will not shrink. With multiple joint movement options, the ability to bond to most construction materials and extensive color matching, it's the perfect line for sealing around windows, doors and siding.



MULTI-PURPOSE

Chem Link offers several multi-purpose products in both the capstone polyether and innovative silicone technologies to seal a wide range of construction materials. The **M-1® Universal Adhesive & Sealant** is essential on any jobsite. Another multi-purpose sealant, **Clear**, comes in a transparent formulation for multiple applications and surfaces.



FLOORING & WALLS

The **Secure** product line includes adhesives for bonding drywall, gypsum, stone, foam and ceiling systems along with a fast setting structural adhesive for "panel on frame" assemblies in commercial and residential construction.



DuraLink[®]

DuraLink elastomeric joint sealants are moisture curing, 100% solid and solvent-free. DuraLink is designed to adhere to a variety of materials including wood, glass, EIFS, galvanized steel, masonry and other common building materials subject to movement. DuraLink meets ASTM C920 and is available in class 35 and 50 for joint movement.

- Solvent free, 100% solids - will not shrink
- Non-slump, applies vertically and overhead
- Non-staining, no outgassing
- Can be applied on damp surfaces
- Color stability
- Paintable within 24 hours



Custom Color Matching with Over 100 Color Options Available

Chem Link has developed a unique color matching system for DuraLink 35 and DuraLink 50 to create custom color matching to popular manufacturer material colors. Visit www.chemlink.com to view the custom color match tool.



DuraLink 35 Multi-Purpose Sealant

DuraLink 35 is a multi-purpose, moisture cure, elastomeric sealant that combines economy and high performance. DuraLink 35 has excellent elastomeric properties which is ideal for a wide range of applications including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 35 is isocyanate free, paintable and SWRI validated for ± 35% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1263*	10.1 oz cartridge/12 per carton (siding)	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
F1263	10.1 oz cartridge/24 per carton (roofing)	Black	Almond	Terra Cotta	Forest Green	
		Weathered Wood	*Refer to chemlink.com for color matching for popular siding manufactures.			
F1268*	20 oz sausage/12 per carton	*Available by made to order				
F1243*	2 gallon pail					
F1229*	5 gallon pail					
50 Gal*	50 gallon drum					

*4 digit color code suffix is added to item numbers to indicate custom color selection. For more information visit www.chemlink.com and view the custom color match tool.



DuraLink 50 Super Adhesion Sealant

DuraLink 50 is an extremely elastic, moisture cure, elastomeric sealant designed for use in roofing, cementitious siding, metal architecture, curtain wall construction and joints subject to movement. DuraLink 50 has excellent elastomeric properties which is ideal for a wide range of applications including difficult surfaces such as Kynar 500® PVDF and other anodized metals and coatings. DuraLink 50 is isocyanate free, paintable and SWRI validated for ± 50% joint movement.

PRODUCT CODE <small>*Made to order</small>	SIZING/PACKAGING	STANDARD COLOR(S) <small>In stock colors - other colors available made to order</small>				APPLICATIONS
F1260	10.1 oz cartridge/24 per carton	White	Stone	Limestone	Aluminum Gray	
		Gray	Tan	Dark Bronze	Medium Bronze	
		Black	Almond	Terra Cotta	Forest Green	
		Weathered Wood				
F1261	20 oz sausage/12 per carton	White	Gray	Dark Bronze	Almond	
		Black	Terra Cotta			
F1210	28 oz cartridge/12 per carton	Gray				
F1219*	2 gallon pail	*Available by made to order				
F1220*	5 gallon pail					
50 Gal*	50 gallon drum					

*4 digit color code suffix is added to item numbers to indicate custom color selection. For more information visit www.chemlink.com and view the custom color match tool.