

Issuing Date 13-Nov-2014

Revision date 12-May-2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Sure Klean® Weather Seal Blok-Guard® & Graffiti Control Ultra 15

PROSOCO

Revision Number 1.02

Other means of identification Product Code(s) UN number

40393 UN1866

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)


785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

Label elements



40393 Sure Klean® Weather Seal Blok-Guard® & Graffiti Control Ultra 15

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ .? /equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Acetic acid vapors form as by-product following hydrolysis reaction with water or humid air. <u>Other information</u> • May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
p-Chlorobenzotrifloride	98-56-6	60 - 100	*
Polydimethyl siloxane diol	70131-67-8	10 - 30	*
Mineral Spirits	64742-88-7	1 - 5	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact	Wash off immediately with plenty of water. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Remove all sources of ignition. Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms Causes eye and skin irritation. May be harmful in contact with skin.		
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Use only non-sparking tools. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Use personal protective equipment as required. Avoid breathing vapors or mists.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep out of the reach of children.
Incompatible materials	Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Cir., 1992).	TWA: 2.5 mg/m ³ F TWA: 2.5 mg/m ³ dust (vacated) TWA: 2.5 mg/m ³	-CIO v. OSHA, 965 F.2d 962	
ed limits revoked by the Cir., 1992).	(vacated) TWA: 2.5 mg/m ³	-CIO v. OSHA, 965 F.2d 962	
ed limits revoked by the Cir., 1992).		-CIO v. OSHA, 965 F.2d 962	
ed limits revoked by the Cir., 1992).	e Court of Appeals decision in AFL	-CIO v. OSHA, 965 F.2d 962	
Cir., 1992).	e Court of Appeals decision in AFL	-CIO v. OSHA, 965 F.2d 962	
rs			
rs			
• •	Engineering Controls Showers		
Eyewash stations			
Ventilation systems. Ground/bond container and receiving equipment.			
rsonal protective eq	uipment		
Wear safety glasses with side shields (or goggles).			
Wear protective gloves and protective clothing.			
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.			
using do not opt drink	k or smoke. Regular cleaning of equ	uipment, work area and	
e	ed in accordance with	ed in accordance with current local regulations. using do not eat, drink or smoke. Regular cleaning of equ	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	
Appearance	
Color	

Liquid clear colorless

Odor Odor threshold Petroleum No information available

<u>Property</u> pH Melting point / freezing point °F Boiling point / boiling range	<u>Values</u> Not Applicable < -30 °C / -22 °F No information available	Remarks • Method Not Applicable
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	38 °C / 100 °F No information available No information available	ASTM D 3278
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available No information available 0.81 negligible No information available No information available No information available No information available No information available No information available	
Dynamic viscosity Explosive properties Oxidizing properties	No information available Not an explosive Not Applicable	

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents.

Hazardous decomposition products

silicon dioxide. Carbon monoxide. Carbon dioxide (CO2). Hazardous combustion products.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Causes serious eye irritation Causes skin irritation May be harmful in contact with skin
Inhalation	Avoid breathing vapors or mists.
Eye contact	Avoid contact with eyes. Causes serious eye irritation.
Skin Contact	Avoid contact with skin. Causes skin irritation. May be harmful in contact with skin.
Ingestion	Do not taste or swallow.
Component Information	

40393 Sure Klean® Weather Seal Blok-Guard® & Graffiti Control Ultra 15

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
p-Chlorobenzotrifloride 98-56-6	= 13 g/kg (Rat)	>2 mL/kg (Rabbit)	= 33 mg/L (Rat)4 h
Mineral Spirits 64742-88-7	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Causes eye and skin irritation. May be harmful in contact with skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	Narcotic effects.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity	
The following values are calcu	ulated based on chapter 3.1 of the GHS document
ATEmix (oral)	7093 mg/kg
ATEmix (dermal)	2038 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
p-Chlorobenzotrifloride 98-56-6	-	11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static	-	3.68: 48 h Daphnia magna mg/L EC50
Mineral Spirits 64742-88-7	450: 96 h Pseudokirchneriella subcapitata mg/L EC50	800: 96 h Pimephales promelas mg/L LC50 static	-	100: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient	
p-Chlorobenzotrifloride	3.7	
98-56-6		

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

US EPA Waste Number D001

14. TRANSPORT INFORMATION

DOT UN number UN proper shipping name Transport hazard class(es) Packing group	Not regulated (If shipped in NON BULK packaging by ground transport) UN1866 Resin Solution 3 III
<u>IATA</u> UN number UN proper shipping name Transport hazard class(es) Packing group	UN1866 Resin Solution 3 III
<u>IMDG</u> UN number UN proper shipping name Transport hazard class(es)	UN1866 Resin Solution 3

15. REGULATORY INFORMATION

International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
Legend:			
TCCA United States Taxis Substa	anana Control Act Contion O(h) Inventor	<i></i>	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Ш

US Federal Regulations

Packing group

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
p-Chlorobenzotrifloride - 98-56-6	Carcinogen
Cumene - 98-82-8	Carcinogen
Ethylbenzene - 100-41-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
p-Chlorobenzotrifloride	Х	-	Х
98-56-6			
Mineral Spirits	Х	-	-
64742-88-7			

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 2	Flammability 2	Instability 0	Physical and chemical properties -
HMIS	Health hazards 2*	Flammability 2	Physical hazards 0	Personal protection X
Prepared By	Regulatory Department			
Issuing Date	13-Nov-2014			
Revision date	12-May-2	:020		
Revision Note				
SDS sections updated 4	15			
<u>Disclaimer</u>				
The information contain	ed on the Safety Data	Sheet has been compi	led from data considered a	ccurate. This data is

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet