

Page: 1/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

1 Identification

· Product identifier

· Trade name: DynaTrol II SG Base

· Other means of identification: DynaTrol II Slope Grade Part B - Base

· Recommended use and restriction on use

· Recommended use: Coating

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Pecora Corporation 165 Wambold Road Harleysville, PA 19438 215-723-6051

· Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger

· Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection. P302+P352 If on skin: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

• Other hazards There are no other hazards not otherwise classified that have been identified.



Page: 2/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

1317-65-3	Limestone	30-40%
13463-67-7	Titanium dioxide	<10%
57-11-4	Stearic acid, pure	<2%
	Combustible Dust	
7631-86-9	Silicon dioxide	<2%
1305-78-8	Calcium oxide	<2%
	Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	
1313-59-3	Sodium oxide	<2%
	♦ Skin Corr. 1A, H314; Eye Dam. 1, H318	
1344-28-1	Aluminum oxide	<2%
12136-45-7	Dipotassium oxide	<2%
	♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
111-46-6	, , , , , , , , , , , , , , , , , , , ,	<1%
	♦ STOT RE 2, H373♦ Acute Tox. 4, H302	
14808-60-7	Quartz	<1%

· Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for quartz and titanium dioxide note that the substance must be respirable.

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

· After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Irritant to skin and mucous membranes.

- · Danger: Causes serious eye damage.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.



Page: 3/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 2)

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

Foam

Sand

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

- **Environmental precautions** Avoid release to the environment.
- · Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Open and handle receptacle with care.

Keep out of reach of children.

Avoid contact with the eyes and skin.

- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Specific end use(s) No relevant information available.





Safety Data Sheet
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 3)

8 Exposure conti	rols/personal protection
Control paramet	ers
· Components with	limit values that require monitoring at the workplace:
1317-65-3 Limesto	ne
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	TLV withdrawn
13463-67-7 Titaniu	m dioxide
PEL (USA)	Long-term value: 15* mg/m³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m³
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m³ total dust
LMPE (Mexico)	Long-term value: 10 mg/m³ A4
57-11-4 Stearic aci	• •
EL (Canada)	Long-term value: 10 mg/m³ except stearates of toxic metal
7631-86-9 Silicon	dioxide
, , ,	Long-term value: 6 mg/m³
, ,	Long-term value: 80 mg/m³
1305-78-8 Calcium	
PEL (USA)	Long-term value: 5 mg/m³
REL (USA)	Long-term value: 2 mg/m³
TLV (USA)	Long-term value: 2 mg/m³
EL (Canada)	Long-term value: 2 mg/m³
EV (Canada)	Long-term value: 2 mg/m³
LMPE (Mexico)	Long-term value: 2 mg/m³
1344-28-1 Aluminu	
PEL (USA)	Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1.0 mg/m³ respirable, as Al
	(Cont'd. on page 5)



Page: 5/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

	(Cont'd. of page 4)
EV (Canada)	Long-term value: 10 mg/m³ total dust
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable
111-46-6 Diethylen	ne glycol
WEEL (USA)	Long-term value: 10 mg/m³
14808-60-7 Quartz	
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

- Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

A NIOSH approved dust respirator should be used for operations generating dust.

Protection of hands:



Protective gloves

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 5)

Page: 6/10

9 Physical and chemical properties		
Information on basic physical ar	nd chemical properties	
· Appearance:		
Form:	Paste	
Color:	Various colors	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	>104.4 °C (>219.9 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.51	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate		
,		
· Viscosity	Not determined	
Dynamic: Kinematic:	Not determined. Not determined.	
· VOC content:		
· Other information	≤11 g/L	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions Reacts with oxidizing agents.
- Conditions to avoid Excessive heat.

(Cont'd. on page 7)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 6)

Page: 7/10

- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7	Titanium dioxide	2B
14808-60-7	Quartz	1
· NTP (Natio	nal Toxicology Program):	
14808-60-7	Quartz	
· OSHA-Ca (Occupational Safety & Health Administration):	

None of the ingredients are listed.

• Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Other adverse effects No relevant information available.

13 Disposal considerations

(Cont'd. on page 8)



Page: 8/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 7)

- Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

1344-28-1 Aluminum oxide

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

(Cont'd. on page 9)



Page: 9/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 8)

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7 Titanium dioxide
14808-60-7 Quartz
· Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· EPA (Environmental Protection Agency):

None of the ingredients are listed.

None of the higherits are listed.

· IARC (International Agency for Research on Cancer):
Reference to chemical component(s) listed below are based on unbound respirable particles and are not

Reference to chemical component(s) listed below are based on unbound respirable particles and are no generally applicable to product as supplied.

13463-67-7	Titanium dioxide	2B
14808-60-7	Quartz	1

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 10)



Page: 10/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 21, 2020

Trade name: DynaTrol II SG Base

(Cont'd. of page 9)

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com