


Non-oil environments



*This decision tree is intended to help each employer find options for their specific situation. In the US, employers must implement a full respiratory protection program per OSHA 29 CFR 1910.134, including proper respirator selection, training, and use. Misuse of a respirator may result in overexposure to contaminants and cause sickness or death. For correct use, consult your supervisor and User Instructions, or call 3M at 1-800-247-3941.

Unvalved N95 Respirators (flat fold)



9205+

The 3M™ Aura™ Series innovative 3-panel design combines comfort and convenience with its soft inner materials, adjustable chin tab and a sculpted, embossed top panel designed to allow more room for eyewear and help reduce eyewear fogging.

Flat fold design offers convenient storage and portability

Individual packaging helps protect respirator from contamination



9210+

Same great design as the 3M™ Aura™ 9205+, N95 but with braided headbands to help keep respirator securely in place and minimize pulling of hair.



9105 & 9105S

The economical 3M™ VFlex™ Particulate Respirator's proprietary V-shaped pleats expand to give you a spacious feel, helps make breathing easier, and flexes with mouth movement while talking. Available in two sizes.

Unvalved N95 Respirators (cup-shaped)



8210

One of the most widely used disposable respirators in the industry. Features an adjustable nose clip and soft nose foam for security and comfort, and a welded head-strap attachment.



8110S

A small size version similar to our classic 8210, N95 respirator. Features an adjustable noseclip and soft nose foam for security and comfort.



8200

Lightweight, economical choice. Adjustable nose clip. Two-strap design with four point staple attachment helps provide a secure seal.

Valved (flat fold)



9211+

Ideally suited for physically demanding work settings that require long periods of wear.

Valved (cup-shaped)



8210V

An economical option based on our popular non-valved 8210 series.

Valved (cup-shaped with braided strap)



8511

Our most popular valved model is suited for physically demanding environments and long periods of wear.

Product ordering information

3M™ Disposable Particulate Respirators

| | | NIOSH Class | SKU | Qty/ Box | Boxes/ Cases | Case Qty |
|--|-------|-------------|------------|-------------|-----------------|----------|
| General purpose respirators | 9210+ | N95 | 7100230348 | - | - | 240 |
| | 9205+ | N95 | 7100232219 | 20 | 12 | 240 |
| | 9105 | N95 | 7000002390 | 50 | 8 | 400 |
| | 9105S | N95 | 7000030028 | 50 | 8 | 400 |
| | 8210 | N95 | 7100132742 | 20 | 8 | 160 |
| | 8110S | N95 | 7000052065 | 20 | 8 | 160 |
| | 8200 | N95 | 7000052787 | 20 | 8 | 160 |
| | 9211+ | N95 | 7100110432 | 10 | 12 | 120 |
| | 8210V | N95 | 7000002462 | 10 | 8 | 80 |
| | 8511 | N95 | 7000002056 | 10 | 8 | 80 |
| Respirators for oil environments | 8247 | R95 | 7000002060 | 20 | 6 | 120 |
| | 8246 | R95 | 7000002059 | 20 | 6 | 120 |
| | 8577 | P95 | 7000002062 | 10 | 8 | 80 |
| | 8576 | P95 | 7000002061 | 10 | 8 | 80 |
| | 8271 | P95 | 7000002047 | 10 | 8 | 80 |
| | 8293 | P100 | 7000002055 | 1 | - | 20 |
| Flame-resistant respirators for welding | 8214 | N95 | 7000002083 | 10 | 8 | 80 |
| | 8515 | N95 | 7000002112 | 10 | 8 | 80 |
| | 8212 | N95 | 7000002027 | 10 | 8 | 80 |
| 100 class respirators | 8293 | P100 | 7000002055 | 1 | - | 20 |
| | 8233 | N100 | 7000002028 | 1 | - | 20 |