# LATAPOXY® Waterproof Flashing Mortar by LATICRETE International

# Health Product Declaration v2.2 created via: HPDC Online Builder

# HPD UNIQUE IDENTIFIER: 22375

CLASSIFICATION: 07 60 00 Flashing and Sheet Metal

PRODUCT DESCRIPTION: LATAPOXY® Waterproof Flashing Mortar is an epoxy-based membrane. It can be used to waterproof seams, gaps or joints between a variety of substrates and metal and PVC pipe penetrations or flashing. It is specifically designed to be used under ceramic tile, stone or brick for rapid installations which require a fast curing waterproof flashing.

# Section 1: Summary

# CONTENT INVENTORY

# **Inventory Reporting Format**

Nested Materials MethodBasic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other

# **Residuals/Impurities**

Considered
Partially Considered
Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Basic Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

 Characterized
 O Yes Ex/SC O Yes O No

 % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

# CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

# MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

LATAPOXY WATERPROOF FLASHING MORTAR [ QUARTZ LT-1 ] **CAN FORMALDEHYDE, POLYMER WITH 2-**(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL NONYLPHENOL (MIXED ISOMERS) LT-1 | MUL | AQU | SKI | REP | END | DEV | PBT TITANIUM DIOXIDE LT-1 | CAN | END TRIMETHYLHEXAMETHYLENEDIAMINE LT-P1 | MUL AMINES, COCO ALKYL LT-P1 | AQU | MAM | SKI | MUL OXIRANE, 2-(CHLOROMETHYL)-, POLYMER WITH ALPHA-HYDRO-OMEGA-HYDROXYPOLY(OXY(METHYL-1,2-ETHANEDIYL)) LT-UNK CALCIUM CARBONATE BM-3 EPICHLOROHYDRIN-BISPHENOL A RESIN LT-P1 AQU | SKI | EYE | MUL 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL LT-UNK | SKI | EYE UNDISCLOSED LT-P1 ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL UNDISCLOSED LT-UNK | CAN CARBON BLACK BM-1 | CAN UNDISCLOSED LT-P1 | END UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MAM UNDISCLOSED BM-2 | END ]

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT Material (g/l): 3.36 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

# INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

# CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings. VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-09 PUBLISHED DATE: 2020-10-09 EXPIRY DATE: 2023-10-09 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

### LATAPOXY WATERPROOF FLASHING MORTAR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

IAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2020-10-09
6: 60.0000 - 70.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
CANCER	US CDC - Occupational Carcinogens	Осси	upational Carcinog	jen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	US NIH - Report on Carcinogens		vn to be Human C pational setting)	arcinogen (respirable size -
CANCER	МАК	Carc man	inogen Group 1 - S	Substances that cause cance
CANCER	IARC		p 1 - Agent is card occupational sou	cinogenic to humans - inhaled rces
CANCER	IARC	Grou	p 1 - Agent is Car	cinogenic to humans
CANCER	GHS - New Zealand	6.7A	- Known or presu	med human carcinogens
CANCER	GHS - Japan	Carc	inogenicity - Cate	gory 1A [H350]
CANCER	GHS - Australia	H350	)i - May cause can	cer by inhalation
SUBSTANCE NOTES: The amo	ount of this component may vary based on th	he plant of m	anufacture.	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-10-09				
%: 7.0000 - 10.0000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent			
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS				
MULTIPLE	German FEA - Substances Hazardous t Waters	to Class	s 2 - Hazard to	Waters			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

# NONYLPHENOL (MIXED ISOMERS)

ID: 25154-52-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-09
%: 3.0000 - 6.0000	GS: <b>LT-1</b>	RC: None NANO: No SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
ENDOCRINE	EU - SVHC Authorisation List	Equivalent Concern - Candidate List
РВТ	OSPAR - Priority PBTs & EDs & equival concern	lent PBT - Substance of Possible Concern
ENDOCRINE	OSPAR - Priority PBTs & EDs & equival concern	lent Endocrine Disruptor - Chemical for Priority Action

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

# TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-09
%: 2.0000 - 3.0000	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

TRIMETHYLHEXAMETHYLENED	IAMINE					ID: 25620-58-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SCF	REENING DATE:	2020-10-09	
%: 2.0000 - 2.5000	GS: <b>LT-P1</b>	RC: N	lone	NANO: No	SUBSTANCE ROL	E: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
MULTIPLE	German FEA - Substances Hazardous t Waters	0	Class 2	e - Hazard to Wa	ters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

AMINES, COCO ALKYL						ID: 61788-46-3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SC	REENING DATE	2020-10-09	
%: 2.0000 - 2.5000	GS: <b>LT-P1</b>	RC:	lone	NANO: No	SUBSTANCE RO	LE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	NINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H410	- Very toxic to ac	quatic life with long	lasting effects
MAMMALIAN	EU - GHS (H-Statements)		H304	- May be fatal if s	swallowed and ente	ers airways
SKIN IRRITATION	EU - GHS (H-Statements)		H314	- Causes severe	skin burns and eye	e damage
MULTIPLE	German FEA - Substances Hazardous t Waters	D	Class	3 - Severe Haza	rd to Waters	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400	- Very toxic to ac	quatic life	
SUBSTANCE NOTES: The amou	nt of this component may vary based on the	ne plar	it of ma	anufacture.		
OXIRANE, 2-(CHLOROMETHYL)- OMEGA-HYDROXYPOLY(OXY(M	, POLYMER WITH ALPHA-HYDRO- ETHYL-1,2-ETHANEDIYL))					ID: 9072-62-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZ	ARD SC	REENING DATE	2020-10-09	
%: 2.0000 - 3.0000	GS: LT-UNK	RC:	lone	NANO: No	SUBSTANCE ROLE	: Curing agent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

CALCIUM CARBONATE				ID: <b>471-34-1</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-09
%: 1.0000 - 2.0000	GS: <b>BM-3</b>	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

EPICHLOROHYDRIN-BISPHENO	L A RESIN					ID: 25068-38-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	RD SC		TE: 2020-10-09	
%: 1.0000 - 2.0000	GS: <b>LT-P1</b>	RC: N	lone	NANO: No	SUBSTANCE RO	LE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	NINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H411	- Toxic to aqua	atic life with long la	sting effects
SKIN IRRITATION	EU - GHS (H-Statements)		H315	- Causes skin	irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317	- May cause a	n allergic skin react	lion
EYE IRRITATION	EU - GHS (H-Statements)		H319	- Causes serio	ous eye irritation	
MULTIPLE	German FEA - Substances Hazardous t Waters	0	Class	2 - Hazard to	Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-09	
6: <b>0.5000 - 0.7500</b>	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
EYE IRRITATION	EU - GHS (H-Statements)	H319 -	Causes serious	eye irritation	
		1013			
SUBSTANCE NOTES: The amo	unt of this component may vary based on t	he plant of ma	nufacture.		
	unt of this component may vary based on t	he plant of ma	nufacture.		
UNDISCLOSED	unt of this component may vary based on the second se		nufacture. REENING DATE:	2020-10-09	

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### ALKYL (C12, C14) GLYCIDYL ETHER ID: 68609-97-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-09 %: 0.4000 - 0.8000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Activator HAZARD TYPE AGENCY AND LIST TITLES WARNINGS H315 - Causes skin irritation SKIN IRRITATION EU - GHS (H-Statements) SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-10-09
%: 0.2000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI		
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effe		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CARBON BLACK				ID: 1333-86-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE	2020-10-09
%: 0.2000 - 0.5000	GS: <b>BM-1</b>	RC: Non	e NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
CANCER	US CDC - Occupational Carcinogens	Oc	cupational Carcino	gen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or expo route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inha from occupational sources		
CANCER	МАК		arcinogen Group 3B t not sufficient for cl	- Evidence of carcinogenic effects lassification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-09
%: 0.0500 - 0.6000	GS: <b>LT-P1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		sruptor

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENIN	g date	E: 2020-10-09
%: 0.0500 - 0.1500	GS: <b>LT-1</b>	RC: Non	e NANO	: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
CANCER	EU - GHS (H-Statements)	H3	50 - May ca	use car	ncer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List		/IR - Carcinc xicant	ogen, M	lutagen &/or Reproductive
CANCER	EU - Annex VI CMRs		rcinogen Ca animal evid		1B - Presumed Carcinogen based
CANCER	GHS - Australia	He	50 - May ca	use car	ncer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

# UNDISCLOSED

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-09
%: 0.0000 - 3.0000	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	IINGS	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	МАК		ogen Group 3B - t sufficient for cla	Evidence of carcinogenic effects
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extrer	nely Hazardous S	Substances

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

# UNDISCLOSED

%: 0.0000 - 3.0000

RC: None NANO: No

SUBSTANCE ROLE: Diluent

ENDOCRINE

**TEDX - Potential Endocrine Disruptors** 

Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A					
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- EXPIRY DA 09	TE: CERTIFIER OR LAB: LATICRETE				
CERTIFICATION AND COMPLIANCE NOTES: LATAPOXY® Waterproof Flashing Mortar has not been tested for VOC emissions.						
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Pi	roducts"				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08- EXPIRY DA	TE: CERTIFIER OR LAB: LATICRETE				

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

LATAPOXY® Waterproof Flashing Mortar does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red List of Materials or Chemicals. Specifically, LATAPOXY Waterproof Flashing Mortar contains Epichlorohydrin-Bisphenol A Resin and Nonylphenol (Mixed Isomers) as stated in Section 2 of this HPD.

### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.