

PRODUCT DATA

W. R. MEADOWS®

SEA^TIGHT®

MasterFormat: 07 17 16

NO. 732-C

SEPTEMBER 2017

CLAY-TITE™ GRANULAR PACK

Bentonite Clay Detail Material

DESCRIPTION

CLAY-TITE GRANULAR PACK is a package of bentonite clay granules that is used as a detail material in conjunction with the CLAY-TITE line of waterproofing products.

USES

CLAY-TITE GRANULAR PACK is designed for waterproofing below-grade structural slabs as well as construction methods incorporating lagging, concrete caisson, or shotcrete retention walls. Applications include foundation wall bases, vertical-to-horizontal transitions, penetrations detailing, void filling, and horizontal application seams.

FEATURES/BENEFITS

- Details penetrations.
- Fills voids.
- Ensures a complete, seamless CLAY-TITE waterproofing installation.

PACKAGING

30 Lb. (13.6 Kg) Bags

COVERAGE

One 30 lb. (13.6 kg) pack covers approximately 25 - 30 linear feet (82 - 98.4 m)

TECHNICAL DATA

| Screen Analysis | Typical |
|--|---------|
| Dry Screen, 16 mesh | 100% |
| Dry Screen, 10 mesh | 1.7% |
| Wet Screen 200 mesh | 1.3% |
| AFS Grain Fineness | 25 |
| Industrial Properties | |
| Moisture | 8.2% |
| Viscosity @ 600 RPM | 25 |
| Filtrate, 30 minutes @ 100 psi (0.689 MPa) | 18 |
| Montmorillonite | 92% |

APPLICATION

Application Method ... Lay CLAY-TITE GRANULAR PACK on its side. Cut a 1" (152.4 mm) opening in the lower corner. Dispense a 1.5" - 2" (38 - 50 mm) cant along all vertical-to-horizontal transitions or on horizontal seams.

After installation, no further maintenance is needed. For further information for application of CLAY-TITE GRANULAR PACK with CLAY-TITE in backfilled walls, blindside, and underslab installations, please visit www.wrmeadows.com and refer to the available INSTALLATION GUIDELINES documents.

LEED INFORMATION

May help contribute to LEED credits:

- EAp2: Minimum Energy Performance
- EAc2: Optimize Energy Performance
- MRc9: Construction and Demolition Waste Management

For further LEED information and SDS, visit www.wrmeadows.com.

CONTINUED ON REVERSE SIDE...

W. R. MEADOWS, INC.

P.O. Box 338 • HAMPSHIRE, IL 60140-0338
Phone: 847/214-2100 • Fax: 847/683-4544
1-800-342-5976
www.wrmeadows.com

HAMPSHIRE, IL / CARTERSVILLE, GA / YORK, PA
FORT WORTH, TX / BENICIA, CA / POMONA, CA
GOODYEAR, AZ / MILTON, ON / SHERWOOD PARK, AB



LIMITED WARRANTY

W. R. MEADOWS, INC. warrants at the time and place we make shipment, our material will be of good quality and will conform with our published specifications in force on the date of acceptance of the order. Read complete warranty. Copy furnished upon request.

Disclaimer

The information contained herein is included for illustrative purposes only, and to the best of our knowledge, is accurate and reliable. W. R. MEADOWS, INC. cannot however under any circumstances make any guarantee of results or assume any obligation or liability in connection with the use of this information. As W. R. MEADOWS, INC. has no control over the use to which others may put its product, it is recommended that the products be tested to determine if suitable for specific application and/or our information is valid in a particular circumstance. Responsibility remains with the architect or engineer, contractor and owner for the design, application and proper installation of each product. Specifier and user shall determine the suitability of products for specific application and assume all responsibilities in connection therewith.