


A matched system of abrasives, tools and acces

In-Stock and Ready to Ship


- For dry-sanding composites, wood, metal, e-coats, gel coats, primer or almost any other substrate
- 3M™ Clean Sanding technology reduces dust more completely and efficiently
- Our most common clean sanding products are in stock and available for immediate shipping

3M™ Clean Sanding Discs and Sheets — Stock Products




216U

- Aluminum oxide mineral
- A weight, paper backing
- Load resistant coating
- Good value
- **Primary market:**
AOEM primer sanding




236U

- Aluminum oxide mineral
- C weight, paper backing
- Long life
- Load resistant coating
- **Primary markets:**
marine, metalworking and woodworking



360L

- Premium aluminum oxide mineral
- Film backing
- Excellent finish
- **Primary market:**
AOEM primer sanding



375L

- Premium aluminum oxide mineral
- Film backing
- Excellent finish
- **Primary markets:**
metalworking, woodworking, composites, paint finishing

Grade	UPC			
	3" Discs	5" Discs	6" Discs	3" x 4" Sheets
3M™ Clean Sanding Discs and Sheets 216U				
100/inner — 500/case				
P220	051141-20830-5	051141-20538-0	Available only as KUT products.	Available only as KUT products.
P320	051141-20831-2	051141-20539-7		
P400	051141-20832-9	051141-20540-3		
P600	051141-20833-6	051141-20688-2		
P800	051141-27881-0	051141-27882-7		
3M™ Clean Sanding Discs and Sheets 236U				
50/inner — 250/case				
50/inner — 500/case				
P80	051141-55517-1	051141-55598-0	051141-55506-5	051141-55534-8
P100	051141-55518-8	051141-55599-7	051141-55507-2	051141-55533-1
P120	051141-55519-5	051141-55600-0	051141-55508-9	051141-55532-4
P150	051141-55520-1	051141-55601-7	051141-55509-6	051141-55527-0
P180	051141-55521-8	051141-55500-3	051141-55510-2	051141-55528-7
P220	051141-55522-5	051141-55501-0	051141-55511-9	051141-55529-4
P240	051141-55523-2	051141-55502-7	051141-55512-6	—
P320	051141-55524-9	051141-55503-4	051141-55513-3	051141-55530-0
P400	051141-55525-6	051141-55504-1	051141-55514-0	051141-55531-7
P500	051141-55526-3	051141-55505-8	051141-55515-7	—
3M™ Clean Sanding Discs and Sheets 360L				
100/inner — 500/case				
P220	051141-20821-3	051131-01704-7 051141-20541-0*	051141-20798-8	Available only as KUT products.
P240	051141-20822-0	051131-01705-4	051141-20799-5	
P280	051141-20823-7	051131-01706-1	051141-20800-8	
P320	051141-20824-4	051131-01707-8 051141-20542-7*	051141-20801-5	
P400	051141-20825-1 051141-20888-6*	051131-01708-5 051141-20543-4*	051141-20802-2	
P500	051141-20826-8 051141-20889-3*	051131-01709-2	051141-20803-9	
P600	051141-20827-5 051141-20891-6*	051131-01710-8	051141-20804-6	
P800	051141-20828-2 051141-20892-3*	051131-01711-5	051141-20805-3	
P1000	051141-20829-9	051131-01712-2	051141-20806-0	
3M™ Clean Sanding Discs 375L				
50/inner — 250/case				
P60	—	051141-54029-0	051141-54036-8	—
P80	—	051141-54030-6	051141-54037-5	—
P100	—	051141-54031-3	051141-54038-2	—
P120	—	051141-54032-0	051141-54039-9	—
P150	—	051141-54033-7	051141-54040-5	—
P180	—	051141-54034-4	051141-54041-2	—
P220	—	051141-54035-1	051141-54042-9	—
P240	—	051141-54023-8	051141-54024-5	—
P280	—	051141-54043-6	051141-54044-3	—
P320	—	051141-54025-2	051141-54026-9	—
P400	—	051141-54027-6	051141-54028-3	—

*These products are shrink-wrapped with no inner boxes.

Made-to-Order

- Our line of “KUT” 3M™ Clean Sanding Discs and Sheets are non-stock, made-to-order
- Choose from a wide range of abrasive constructions, grades and sizes
- Available in 3-, 5- or 6-inch discs and as 3" x 4" sheets
- Three week lead time



3M™ Clean Sanding Discs and Sheets — KUT Products

KUT Program Details

Ordering 3M™ Clean Sanding KUT Products is as easy as 1, 2, 3:

- 1 Select product and grade by using Generic Stock Numbers from table at right.
- 2 Specify size by using the Die Numbers below.
- 3 Specify Order Quantity and Type.

Choose Order Type:

- **Guaranteed Trial Order (One time only)** — Minimum order: 1 case of 250 discs/sheets per Product, Grade and Size/Die Number
- **Standard Order** — Minimum order: 5 cases of 250 discs/sheets per Product, Grade and Size/Die Number

3M™ Clean Sanding Size/Die Numbers

Include appropriate Die Number with Generic Stock Number when specifying KUT products.

3" Discs	5" Discs	6" Discs	3" x 4" Sheets
300 LG	500 LG	600 LG	M574
—	500LF†	600LF†	—

† Use for ordering 7521 only. 3" size and sheets not available.

Grade	Generic Stock Number
210U	
P240	60-0000-7670-7
P320	60-0000-7501-4
P400	60-0000-7500-6
P500	60-0000-7499-1
P600	60-0000-8639-1
P800	60-0000-8638-3
216U	
P180	60-0000-7578-2
P220	60-0001-1667-7
P320	60-0000-7574-1
P400	60-0000-7572-5
P600	60-0000-8635-9
P800	60-0000-8634-2
268L	
9 micron	60-0001-0048-1
15 micron	60-0001-2081-0
20 micron	60-0001-2082-8
30 micron	60-0001-2028-1
40 micron	60-0001-2029-9
50 micron	60-0001-2030-7
60 micron	60-0001-2031-5
80 micron	60-0001-2032-3
100 micron	60-0001-2033-1
360L*	
P220	60-0001-0967-2
P240	60-0001-0966-4
P280	60-0001-0965-6
P320	60-0001-0964-9
P400	60-0001-0962-3
P500	60-0001-0961-5
P600	60-0001-0960-7
P800	60-0001-0959-9
P1000	60-0001-1573-7

Grade	Generic Stock Number
366L	
15 micron	60-0001-2184-2
20 micron	60-0001-2185-9
30 micron	60-0001-2186-7
40 micron	60-0001-2187-5
50 micron	60-0001-2188-3
60 micron	60-0001-1679-2
80 micron	60-0001-1678-4
100 micron	60-0001-1677-6
120 micron	60-0001-3454-8
150 micron	60-0001-3455-5
180 micron	60-0001-3456-3
220 micron	60-0001-3693-1
375L	
60	60-0001-7422-1
P80	60-0001-7423-9
P100	60-0001-7424-7
P120	60-0001-7425-4
P150	60-0001-7426-2
P180	60-0001-7427-0
P220	60-0001-7411-4
P240	60-0001-7412-2
P280	60-0001-7413-0
P320	60-0001-7414-8
P400	60-0001-7415-5
426U	
80	60-0001-4956-1
100	60-0001-4957-9
120	60-0001-4958-7
150	60-0001-4959-5
180	60-0001-4960-3
220	60-0001-4961-1
240	60-0001-4962-9
280	60-0001-4963-7

Grade	Generic Stock Number
320	60-0001-4964-5
400	60-0001-4965-2
468L	
15 micron	60-0001-2008-3
30 micron	60-0001-0730-4
60 micron	60-0001-2009-1
80 micron	60-0001-2011-7
100 micron	60-0001-2012-5
735U**	
P80	60-0001-3675-8
P100	60-0001-3670-9
P120	60-0001-3671-7
P150	60-0001-3672-5
P180	60-0001-3673-3
P220	60-0001-3674-1
751I	
80	60-0000-8171-5
100	60-0000-8170-7
120	60-0000-8169-9
752I	
36	60-0001-1541-1
40	60-0001-1540-6
50	60-0001-1539-8
763U	
60	60-0001-4216-0
80	60-0000-8190-5
P100	60-0000-8189-7
P120	60-0000-8188-9

*For 3" x 4" sheets and 6" discs only. Other disc sizes available as stock products.
**For 3" x 4" sheets only. Discs available as stock products.

UPGRADED! 3M™ Elite Series Air-Powered Sanders

Part No.	Size	Orbit	UPC
3M™ Elite Series Central Vacuum Sanders			
28505	3"	3/32"	051141-28505-4
28503	3"	3/16"	051141-28503-0
28507	5"	3/32"	051141-28507-8
28506	5"	3/16"	051141-28506-1
28504	5"	5/16"	051141-28504-7
28561	5"	3/8"	051141-28561-0
28509	6"	3/32"	051141-28509-2
28508	6"	3/16"	051141-28508-5
28502	6"	5/16"	051141-28502-3
28560	6"	3/8"	051141-28560-3
28528	70mm x 198mm	1/8"	051141-28528-3

Part No.	Size	Orbit	UPC
3M™ Elite Series Self-Generated Vacuum Sanders			
28513	3"	3/32"	051141-28513-9
28511	3"	3/16"	051141-28511-5
28515	5"	3/32"	051141-28515-3
28514	5"	3/16"	051141-28514-6
28512	5"	5/16"	051141-28512-2
28563	5"	3/8"	051141-28563-4
28517	6"	3/32"	051141-28517-7
28516	6"	3/16"	051141-28516-0
28510	6"	5/16"	051141-28510-8
28562	6"	3/8"	051141-28562-7
28529	70mm x 198mm	1/8"	051141-28529-0

3M™ Air-Powered Sanders

Part No.	Size	Orbit	RPM	UPC
3M™ Central Vacuum Pneumatic Sanders				
20430	3" x 4"	—	10,000	051141-20430-7
3M™ Self-Generated Vacuum Pneumatic Sanders				
20431	3" x 4"	—	10,000	051141-20431-4
20319	5"	3/16"	—	051141-20319-5
20327	6"	3/16"	—	051141-20327-0
20208	6"	5/16"	—	051141-20208-2

Also see 3M™ Clean Sanding Product Accessories on back.

When the dust clears, it's the cut that remains

Discs cut and last longer when dust isn't loading the cutting surface of the abrasives. It's that simple. And reducing dust is easier than ever with 3M™ Clean Sanding Discs.


Featuring 3M-proprietary, precise multi-hole patterns, these discs can evacuate dust better than 5- or 6-hole products — dramatically increasing disc life. Cut isn't compromised as the design achieves an ideal balance between abrasive and dust-extraction holes.

A 3M™ Hookit™ Attachment System for excellent backing support and easy reuse further optimizes disc life.

In addition, the new 3M™ Clean Sanding Disc Pad is designed so hole alignment is not required. It's even simpler to use than a standard “dust free” system.

You'll see the difference in your workplace and count the difference in parts per disc. And that can help put cash where it really counts — your bottom line.

Beats 5- and 6-Hole Discs on Dust Removal and Life



Test results are based on dry sanding applications. Results will vary by application, material being sanded and tool used.

3M™ Clean Sanding Disc Selection Guide

Product	Mineral Type	Backing	Weight	Load-Resistant	Applications							
					Gel Coat	Composites	Solid Surface	E-coat	Primer/Paint Prep	Wood	Metal	
In-Stock Products												
216U	Aluminum Oxide	Paper	A	X	○	○		○	●	○		
236U	Aluminum Oxide	Paper	C	X	●	●	●		●	●	●	
360L	Aluminum Oxide	Film	3 mil		●	●	●	●	○	○		
375L	Aluminum Oxide	Film	3 mil	X	○	○	○	○	●	●	●	
732U	Ceramic and Aluminum Oxide Blend	Paper	C		●	●			●		●	
735U	Ceramic and Aluminum Oxide Blend	Paper	C	X	●	●	●		○	●	●	
752I	Ceramic and Aluminum Oxide Blend	Paper	E			○					●	
775L	Ceramic and Aluminum Oxide Blend	Film	3 mil		●	●			●		●	
900DZ	Ceramic	Cloth	J			●		●	●	●	●	
KUT Products (Made To Order)												
210U	Aluminum Oxide	Paper	A					●	○			
268L	Aluminum Oxide	Film	3 mil				○	○	○			
366L	Aluminum Oxide	Film	3 mil	X			●			○		
426U	Silicon Carbide	Paper	A	X						●	○	
468L	Silicon Carbide	Film	3 mil							○		
751I	Ceramic and Aluminum Oxide Blend	Paper	E			○					●	
763U	Ceramic and Aluminum Oxide Blend	Paper	F			○					●	

Indicated applications represent "best use" recommendations and are not intended to suggest exclusivity to these applications. Users should evaluate the suitability of product for other applications based on their own knowledge of desired outcomes.

● Best Recommended Products
○ Alternative Products