

3M<sup>™</sup> Spray Adhesives

# Performance. Productivity. Efficiency.

Streamline your assembly operation with convenient, efficient 3M™ Spray Adhesives.

# Solutions that start with you.

Choosing the right 3M<sup>™</sup> Spray Adhesives starts with you: your processes, your objectives, your bonding challenges. Then the 3M team of adhesive experts go to work to find the best products to help maximize your product performance, increase your efficiency, streamline your assembly productivity and meet your sustainability goals.

# Performance: Find the right adhesive.

Choosing the right adhesive for your assembly begins with asking the right questions:

- What kinds of materials are you bonding?
- How large are the materials?
- What specific adhesive attributes are you looking for?
- Do you need time to reposition after adhesion?
- What issues are you having, if any, with your current products?
- What are the environmental, health and safety factors?

# Productivity: Find the right delivery system.

How you apply adhesive to your assembly components is often as important as the adhesive itself. 3M will work with you to find the delivery system that optimizes efficiency and works best for your assembly processes. 3M spray adhesives are available in three delivery systems: aerosol, cylinder and bulk.

### **Aerosol**



- Ultimate convenience for smaller jobs or multiple stations
- No equipment, no mess, no setup
- Easy to use; complements bulk or cylinder systems
- Ideal for field work

### Cylinder



- Self-contained, pressurized, portable
- Minimal equipment investment
- Low maintenance
- Optimized spray patterns cut waste and maximize coverage
- Ideal for larger surface areas and >20 pieces/day



- Easily integrated into existing equipment
- Highly cost efficient generally the lowest cost per square foot
- Requires trained and experienced operators to maximize value
- Ideal for large surface areas and large industrial manufacturers

# Sustainability: Find the products that achieve your goals.

Maximizing sustainability doesn't have to mean giving up performance. For more than 40 years 3M engineers have been developing water-based, low VOC and GREENGUARD™ certified adhesives for some of the most demanding applications in the world. So if you're ready to "go greener," we're ready to take you there.



# Industrial grade. Trusted by professionals.

3M's portfolio of industrial-grade, solvent- and water-based spray adhesives is designed to make assembly fast, convenient and efficient. Start with 3M™ Super 77™ Multipurpose Spray Adhesive and adjust according to your specific bonding needs.













| Choose<br>Adhesive<br>Delivery<br>System<br>Choose |              |                    |                      |                  |
|--|--------------|--------------------|----------------------|------------------|
| Substrate Substrate                                | Aerosol      | Cylinder           | Solvent-Based Bulk   | Water-Based Bulk |
| Paper, Cardboard                                   | 27, 77       | 77                 | 77                   | 49               |
| Fabric, Felt,<br>Fiberglass, Cork                  | 20, 27, 77   | 70, 77, 78ET       | 77                   | 49               |
| Flexible Foam:<br>Urethane, Latex                  | 24, 74       | 74                 | 74                   | 100NF            |
| Rigid Foam:<br>Polystyrene, Beadboard              | 78           | 70, 78ET           | 78                   | 30NF             |
| High Pressure<br>Laminates, Melamine               | 20, 90, 94ET | 94CA, 94ET         | 94CA, 94ET           | 30NF             |
| Wood, MDF,<br>Particle Board                       | 20, 90, 94ET | 94CA, 94ET         | 94CA, 94ET           | 30NF             |
| Metal: Steel,<br>Aluminum                          | 20, 90       | 90, 94CA, 94ET     | 90, 94CA, 94ET       | 30NF             |
| Plastics: ABS, PVC,<br>Phenolic, Acrylic           | 20, 90       | 90, 94CA, 94ET     | 90, 94CA, 94ET, 4491 | 30NF             |
| FRP: Fiberglass<br>Reinforced Plastic              | 20, 90       | 70, 90, 94CA, 94ET | 90, 94CA, 94ET       | 30NF             |
| Painted Surfaces                                   | 20, 90       | 90, 94CA, 94ET     | 90, 94CA, 94ET       | 30NF             |
| Rubbers: Nitrile,<br>Neoprene, SBR                 | 20, 80, 90   | 70, 90, 94CA, 94ET | 90, 94CA, 94ET, 4491 | N/A              |
| Plasticized Vinyl                                  | 80           | NA                 | 4491                 | 4224NF           |

#### 60CA

#### 3M™ General Purpose Adhesive 60CA

- Low VOC, general-purpose industrial-grade adhesive with lace spray pattern
- High solids content
- Bonds fabric, foam, plastic, heavy paper to wood, plastics and metals

| 00 48011 61687 2 |
|------------------|
| 00 48011 61688 9 |
| 00 48011 61689 6 |
|                  |
| 00 51115 31589 1 |
| 00 51115 31590 9 |
|                  |

#### 70

#### 3M™ HoldFast 70 Spray Adhesive

- Extremely versatile, fast-tacking, industrial-grade adhesive
- Unique wide-web spray pattern with heavy body and low soak-in formula
- Bonds polystyrene without degrading the surface

| Clear                     |                  |
|---------------------------|------------------|
| Cylinder                  |                  |
| Large                     | 00 48011 61690 2 |
| Intermediate              | 00 48011 61691 9 |
| Jumbo                     | 00 48011 61692 6 |
| Bulk                      |                  |
| 5 Gallon Pail             | 00 51115 63935 7 |
| Closed Head<br>Steel Drum | 00 51115 63934 0 |

#### 77MP

#### 3M™ Super 77™ Multipurpose Spray Adhesive

- High tack, high coverage and low soak-in formula
- Bonds many lightweight materials such as foils, carpeting, paper, cardboard, felt and more
- Bonds in 15 seconds

| Clear     |                  |
|-----------|------------------|
| Aerosol   |                  |
| 13.44 oz. | 00 76308 86234 3 |
| 16.0 oz.  | 00 21200 21210 9 |



#### 3M<sup>™</sup> Super 77<sup>™</sup> Classic Spray Adhesive

- Original formula
- Fast aggressive tack and low soak-in of adhesive
- Bonds lightweight materials
- Bonds in 10–15 seconds

| Clear                      |                  |
|----------------------------|------------------|
| Aerosol                    |                  |
| 16.75 oz. 00 21200 96315 5 |                  |
| Cylinder                   |                  |
| Large                      | 00 51115 25776 6 |
| Bulk                       |                  |
| 5 Gallon Pail              | 00 21200 43793 9 |
| Open Head<br>Steel Drum    | 00 21200 43813 4 |

#### 77CA





## 3M $^{\infty}$ Super 77 $^{\infty}$ CA Multipurpose Spray Adhesive Low VOC <25%

- Bonds many lightweight materials such as foils, carpeting, paper, cardboard, felt and more
- Low soak-in and long open time
- Meets CARB/OTC VOC requirements and helps contribute to LEED® credits

| Clear            |  |
|------------------|--|
| Aerosol          |  |
| 00 51111 97956 3 |  |

#### Foam & Fabric

#### 24

#### 3M™ Foam & Fabric 24 Spray Adhesive

- Fast-tack, industrial-grade adhesive
- Aggressive tack with foam-tearing strength
- Bonds foam to substrates such as fabric, wood and more

| Orange           |   |  |
|------------------|---|--|
| Aerosol          |   |  |
| 00 51111 07862 4 | 4 |  |



#### 3M™ Foam Fast 74 Spray Adhesive

- Fast-tacking adhesive with soft, non-dimpling bond lines
- Immediate foam-tearing strength
- Ideal for bonding flexible urethane or latex foam to many substrates such as wood, metal, fabrics and more

| Clear<br>Aerosol<br>00 51111 50045 9 |                   | Orange<br>Aerosol<br>00 21200 82242 1 |                  |  |          |                  |          |                  |
|--------------------------------------|-------------------|---------------------------------------|------------------|--|----------|------------------|----------|------------------|
|                                      |                   |                                       |                  |  | Cylinder |                  | Cylinder |                  |
|                                      |                   |                                       |                  |  | Large    | 00 21200 49919 7 | Large    | 00 21200 49158 0 |
| Intermediate                         | 00 51115 25741 4  | Intermediate                          | 00 51111 18853 8 |  |          |                  |          |                  |
| Jumbo                                | 00 511115 25742 1 | Jumbo                                 | 00 51111 18854 5 |  |          |                  |          |                  |

#### 74CA





#### 3M™ Foam Fast 74CA Spray Adhesive Low VOC <25%

- Ideal for bonding flexible urethane or latex foam to many substrates such as wood, metal, fabrics and more
- Soft, non-dimpling glue lines
- Meets CARB/OTC VOC requirements and helps contribute to LEED® credits

| Clear            | Orange           |  |
|------------------|------------------|--|
| Aerosol          | Aerosol          |  |
| 00 51111 97967 9 | 00 51111 97958 7 |  |

#### 100NF



#### 3M<sup>™</sup> Fastbond<sup>™</sup> Foam Adhesive 100NF

- A water-dispersed, neoprene-based contact adhesive
- One part, rapid setting adhesive
- Ideal for bonding foam to many substrates such as wood, metal, fabrics and more

| Lavender<br>Bulk        |                  | Neutral<br>Bulk         |                  |  |
|-------------------------|------------------|-------------------------|------------------|--|
|                         |                  |                         |                  |  |
| 5 Gallon Box            | 00 21200 56509 0 | 5 Gallon Box            | 00 21200 56510 6 |  |
| Open Head<br>Steel Drum | 00 48011 58433 1 | Open Head<br>Steel Drum | 00 48011 58713 4 |  |
| Poly Drum               | 00 21200 41543 2 | Poly Drum               | 00 21200 39204 7 |  |
| 270 Gallon<br>Poly Tote | 00 21200 41544 9 | 270 Gallon<br>Poly Tote | 00 21200 39205 4 |  |
| 100 Gallon<br>EZ Tote   | 00 21200 56512 0 |                         |                  |  |

#### **Specialty**

#### 72

#### 3M™ Pressure Sensitive Spray Adhesive 72

- Pressure-sensitive adhesive gains strength as pressure is applied
- Permanent tack ideal for many one-surface bond applications
- Long open time allows bonds to be made hours or days after application
- Variable-width lace spray pattern allows for precise dispensing

|             |        |  | ., |  |
|-------------|--------|--|----|--|
| Blue        |        |  |    |  |
| Aerosol     |        |  |    |  |
| 00 21200 30 | 0025 7 |  |    |  |

#### 76

#### 3M™ Hi-Tack 76 Spray Adhesive

- High tack spray adhesive creates quick, strong bonds
- Bonds hard-to-hold surfaces such as plastics to rubber, fabric, cardboard, wood, metal and more
- Variable-width lace spray pattern

| Clear            |  |
|------------------|--|
| Aerosol          |  |
| 00 21200 30026 4 |  |

#### 78

#### 3M™ Polystyrene Insulation 78 Adhesive

- High solids adhesive formulated for expanded polystyrene and foam insulations
- Bonds without cavitating foams
- Fast grabbing, fast drying formula

| Clear<br>Aerosol |                  | Inverted<br>Aerosol |  |
|------------------|------------------|---------------------|--|
|                  |                  |                     |  |
| Bulk             |                  |                     |  |
| 5 Gallon Pail    | 00 48011 53438 1 |                     |  |

#### 78ET

#### 3M™ Polystyrene Insulation 78ET Adhesive

- $\bullet$  Bonds polystyrene with no surface degradation
- Long tack time extends working time
- Uniform spray pattern ensures fast and easy application

| Clear        |                  | Green        |                  |
|--------------|------------------|--------------|------------------|
| Cylinder     |                  | Cylinder     |                  |
| Large        | 00 48011 61693 3 | Large        | 00 48011 61695 7 |
| Intermediate | 00 51115 25704 9 | Intermediate | 00 51115 25705 6 |
| Jumbo        | 00 48011 61694 0 | Jumbo        | 00 48011 61696 4 |

#### 78HT

#### $3M^{\scriptscriptstyle{\mathsf{M}}}$ Hi-Temperature Polystyrene Insulation 78HT Adhesive

- Permanently bonds to polystyrene foam and other materials
- Will not degrade the foam
- Sprays with a lace pattern optimized for foam

| Blue                     |                  |  |  |  |
|--------------------------|------------------|--|--|--|
| Cylinder                 |                  |  |  |  |
| Mini Cylinder            | 00 51115 31593 0 |  |  |  |
| Large Cylinder           | 00 51115 31595 4 |  |  |  |
| Intermediate<br>Cylinder | 00 51115 31594 7 |  |  |  |
| Jumbo Cylinder           | 00 51115 31596 1 |  |  |  |
| Bulk                     |                  |  |  |  |
| 5 Gallon Pail            | 00 51111 07571 5 |  |  |  |
| 54 Gallon Drum           | 00 51111 07572 2 |  |  |  |