



Revision Number: 002.0

Issue date: 11/21/2016

1. PRODUCT AND COMPANY IDENTIFICATION

| | | | |
|----------------------------|---|-----------------------------|---|
| Product name: | OSI Quad Foam Clean | IDH number: | 2049536 |
| Product type: | Solvent based cleaner | Region: | United States |
| Restriction of Use: | None identified | Contact information: | |
| Company address: | Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067 | Telephone: | +1 (860) 571-5100 |
| | | MEDICAL EMERGENCY Phone: | Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 |
| | | TRANSPORT EMERGENCY Phone: | CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 |
| | | Internet: | www.henkelna.com |

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CONTENTS UNDER PRESSURE.
EXTREMELY FLAMMABLE AEROSOL.
CAUSES SERIOUS EYE IRRITATION.
MAY CAUSE DROWSINESS OR DIZZINESS.

| HAZARD CLASS | HAZARD CATEGORY |
|--|-----------------|
| FLAMMABLE AEROSOL | 1 |
| EYE IRRITATION | 2A |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | 3 |

PICTOGRAM(S)



Precautionary Statements

Prevention: Keep away from heat, sparks, open flames, hot surfaces - no smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing mist or spray. Wash affected area thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye and face protection.

Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|------------------------|------------|-------------|
| Acetone | 67-64-1 | 60 - 100 |
| Carbon dioxide | 124-38-9 | 10 - 30 |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

| | |
|----------------------|---|
| Inhalation: | If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. |
| Skin contact: | Wash with soap and water. Obtain medical attention if irritation persists. |
| Eye contact: | In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention. |
| Ingestion: | Do not induce vomiting, seek medical advice immediately. |
| Symptoms: | See Section 11. |

5. FIRE FIGHTING MEASURES

| | |
|---|--|
| Extinguishing media: | Carbon dioxide. foam Dry powder. |
| Special fire fighting procedures: | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. |
| Unusual fire or explosion hazards: | Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Contents under pressure. Cool pressurized can containers with jet of water. Containers may explode. |
| Hazardous combustion products: | Carbon monoxide. Carbon dioxide. |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| | |
|-----------------------------------|--|
| Environmental precautions: | Contain spill. Remove all sources of ignition. Ventilate area. Do not empty into drains / surface water / ground water. |
| Clean-up methods: | Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Wear appropriate protective equipment and clothing during clean-up. Absorb spill with inert material. Shovel material into appropriate container for disposal. |

7. HANDLING AND STORAGE

| | |
|------------------|---|
| Handling: | Keep out of the reach of children. Do not puncture or incinerate pressurized containers. Do not handle or store near an open flame, heat or other sources of ignition. Avoid breathing vapors or mists of this product. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Wear suitable protective clothing, safety glasses and gloves. |
| Storage: | For safe storage, store between -20 °C (-4°F) and 50 °C (122°F). Store in a cool, dry, well-ventilated area. Keep away from heat, spark and flame. Do not store above 49 °C (120 °F). |

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|------------------------|----------------------------------|--|-----------|-------|
| Acetone | 250 ppm TWA 500 ppm STEL | 1,000 ppm (2,400 mg/m ³) PEL | None | None |
| Carbon dioxide | 5,000 ppm TWA 30,000 ppm STEL | 5,000 ppm (9,000 mg/m ³) PEL | None | None |

| | |
|--------------------------------|--|
| Engineering controls: | Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits. Handle in accordance with good industrial hygiene and safety practice. |
| Respiratory protection: | If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH. |
| Eye/face protection: | Safety goggles or safety glasses with side shields. |
| Skin protection: | Chemical resistant, impermeable gloves. Suitable protective clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Physical state: | Aerosol |
| Color: | Colorless |
| Odor: | of solvent |
| Odor threshold: | Not available. |
| pH: | Not applicable |
| Vapor pressure: | 30.79 kPa (25 °C (77°F)) (aqueous solution) |
| Boiling point/range: | 56 °C (132.8 °F) Certificate of Supplier (solvent) |
| Melting point/range: | Not available. |
| Specific gravity: | 0.8 (Water = 1) |
| Vapor density: | = 2 (Air = 1) |
| Flash point: | -18 °C (0.4 °F) Certificate of Supplier |
| Flashback: | This product exhibits flashback when tested for flame extension. |
| Flammable/Explosive limits - lower: | 2.6 % |
| Flammable/Explosive limits - upper: | 12.8 % |
| Autoignition temperature: | 465 °C (869°F) |
| Flammability: | Extremely flammable aerosol. |
| Evaporation rate: | = 14.40 (Butyl acetate = 1) |
| Solubility in water: | Soluble |
| Partition coefficient (n-octanol/water): | Not available. |
| VOC content: | 0 %; 0 g/l (by weight, calculated using CARB method; g/L less water, less exempts calculated using SCAQMD method) |
| Viscosity: | Not available. |
| Decomposition temperature: | Not available. |

10. STABILITY AND REACTIVITY

| | |
|--|---|
| Stability: | Stable under normal conditions of storage and use. |
| Hazardous reactions: | Will not occur. |
| Hazardous decomposition products: | Carbon dioxide. carbon monoxide |
| Incompatible materials: | Acids. Halogenated compounds. Reducing agents. Strong bases. Strong oxidizing agents. |
| Reactivity: | Not available. |
| Conditions to avoid: | Heat, flames, sparks and other sources of ignition. Avoid temperatures above 26°C (80°F). Do not expose to extreme hot or cold temperatures. Do not puncture the container. |

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

| | |
|----------------------|---|
| Inhalation: | Inhalation of mist or spray may cause irritation of the respiratory tract and nasal passages. May cause central nervous system effects with nausea, dizziness and headache. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage. |
| Skin contact: | Mild skin irritation. Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis. |
| Eye contact: | Direct spray or vapors will irritate and may harm eyes. Symptoms include: Stinging. Tearing. Redness. |
| Ingestion: | Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances. Aspirated material can enter the lungs and result in pneumonitis. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|------------------------|--|--------------------------------------|
| Acetone | Oral LD50 (Mouse) = 5.2 g/kg Oral LD50 (Mouse) = 3,000 mg/kg Oral LD50 (Rabbit) = 5,340 mg/kg Oral LD50 (Rat) = 5,800 mg/kg Oral LD50 (Rat) = 9,800 mg/kg Dermal LD50 (Rabbit) = 20,000 mg/kg Inhalation LC50 (Rat, 4 h) = 76 mg/l | Central nervous system, Irritant |
| Carbon dioxide | None | Central nervous system |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|------------------------|----------------|-----------------|---|
| Acetone | No | No | No |
| Carbon dioxide | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

- Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.
- Hazardous waste number:** It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

- Proper shipping name:** Aerosols
Hazard class or division: 2.1
Identification number: UN 1950
Packing group: None
DOT Hazardous Substance(s): Acetone

International Air Transportation (ICAO/IATA)

- Proper shipping name:** Aerosols, flammable
Hazard class or division: 2.1
Identification number: UN 1950
Packing group: None

Water Transportation (IMO/IMDG)

- Proper shipping name:** AEROSOLS
Hazard class or division: 2.1
Identification number: UN 1950
Packing group: None

15. REGULATORY INFORMATION

United States Regulatory Information

- TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
- TSCA 12 (b) Export Notification:** None above reporting de minimis
- CERCLA/SARA Section 302 EHS:** None above reporting de minimis.
CERCLA/SARA Section 311/312: Immediate Health, Fire, Pressure, Delayed Health
CERCLA/SARA Section 313: None above reporting de minimis.
- California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

- CEPA DSL/NDL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: This Safety Data Sheet contains changes from the previous version in Section(s): 2

Prepared by: Mary Ellen Roddy, Sr. Regulatory Affairs Specialist

Issue date: 11/21/2016

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.