

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

1 Identification

· Product identifier

· Trade name: Pecora XL Flash

· Other means of identification: STPU Fast Curing Liquid Flashing & Joint Filler

· Recommended use and restriction on use

- · Recommended use: Flashing and joint filler
- · Restrictions on use: No relevant information available.

[•] Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Pecora Corporation 165 Wambold Road Harleysville, PA 19438

215-723-6051

• Emergency telephone number:

CHEMTREC 1-800-424-9300 (US/Canada)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

⁻ Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



- · Signal word: Warning
- · Hazard statements:

H317 May cause an allergic skin reaction.

• Precautionary statements:

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

(Cont'd. on page 2)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

		(Cont'd. of page
Componen	ts:	
471-34-1	Calcium carbonate	30-40%
2768-02-7	trimethoxyvinylsilane Flam. Liq. 3, H226 Acute Tox. 4, H332	<2.5%
13463-67-7	Titanium dioxide	<2.5%
	Trade Scret component	<2.5%
35141-30-1	N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine Eye Dam. 1, H318 Acute Tox. 4, H332; Skin Sens. 1A, H317	<1%
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	<1%
25973-55-1	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol PBT; vPvB STOT RE 2, H373 Combustible Dust	<1%
82919-37-7	Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	<1%

· Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for titanium dioxide note that the substance must be respirable.

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

[•] Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Slight irritant effect on eyes.

Allergic reactions

Indication of any immediate medical attention and special treatment needed:

Contains N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction. Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

(Cont'd. on page 3)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

(Cont'd. of page 2)

[·] Extinguishing media

· Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Water fog / haze

· For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[·] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

• Environmental precautions Avoid release to the environment.

[•] Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Open and handle receptacle with care. Keep out of reach of children.

Avoid contact with the eyes and skin.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

(Cont'd. on page 4)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

	(6	Cont'd. of page 3)
471-34-1 Calciu		<u></u>
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
2768-02-7 trime	ethoxyvinylsilane	
EV (Canada)	Short-term value: 60 mg/m³, 10 ppm	
13463-67-7 Tita	nium dioxide	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
The usual preca Keep away from Avoid contact w Avoid breathing Engineering co Breathing equi Not required und Use suitable res	 tive and hygienic measures: autionary measures for handling chemicals should be followed. a foodstuffs, beverages and feed. ith the eyes and skin. mist, vapors, or spray. pontrols: No relevant information available. pment: der normal conditions of use. spiratory protective device in case of insufficient ventilation. ved dust respirator should be used for operations generating dust. 	
Protect	ive gloves	
Gloves are advi Eye protection Body protectio Limitation an	gloves to handle contents of damaged or leaking units. sed for repeated or prolonged contact. : Follow relevant national guidelines concerning the use of protective eyewear n: Protective work clothing d supervision of exposure into the environment No special requirem ment measures No special requirements.	
9 Physical and	d chemical properties	

[·] Information on basic physical and chemical properties

(Cont'd. on page 5)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

		(Cont'd. of page
· Appearance:		
Form:	Paste	
Color:	White	
· Odor:	Not determined.	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Melting point/Melting range: 	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	>104.4 °C (>219.9 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
[·] Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.35	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not determined.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· VOC content:	23	
[•] Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[·] Possibility of hazardous reactions

Reacts with strong alkali.

Reacts with strong oxidizing agents.

Reacts with strong acids.

Conditions to avoid Excessive heat.

(Cont'd. on page 6)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

(Cont'd. of page 5)

Incompatible materials Oxidizers, strong bases, strong acids
 Hazardous decomposition products
 Under fire conditions only:
 Carbon monoxide and carbon dioxide
 Nitrogen oxides (NOx)
 Silicon oxides.

11 Toxicological information

Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

· On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

· Sensitization:

Contains N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

· IARC (Inter	national Agency for Research on Cancer):	

13463-67-7	Titanium dioxide	2B
75-56-9	propylene oxide	2B
75-07-0	acetaldehyde	2B
110-00-9	furan	2B
• NTP (Natior	nal Toxicology Program):	

Present in trace quantities.

110-00-9 furan

75-56-9 propylene oxide

75-07-0 acetaldehyde

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

(Cont'd. on page 7)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

(Cont'd. of page 6)

- [·] Toxicity
- Aquatic toxicity

Harmful to aquatic life with long lasting effects.

41556-26-7 bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate

LC50 0.97 mg/l (lepomis macrochirus)

• Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• **Mobility in soil:** No relevant information available.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
 Transport hazard class(es) 		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	II of Not applicable.	

(Cont'd. on page 8)



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

(Cont'd. of page 7)

mixture · United Sta · SARA	ealth and environmental regulations/legislation specific for the substa tes (USA)	nce c
	2 (extremely hazardous substances):	
None of the	ingredients are listed.	
	3 (Specific toxic chemical listings):	
None of the	e ingredients are listed.	
Chemicals Reference as supplied		produ
	Titanium dioxide	
110-00-9		
	propylene oxide	
75-07-0	acetaldehyde	
· Chemicals	known to cause developmental toxicity for females:	
None of the	e ingredients are listed.	
· Chemicals	known to cause developmental toxicity for males:	
None of the	e ingredients are listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	e ingredients are listed.	
· EPA (Envi	onmental Protection Agency):	
None of the	e ingredients are listed.	
· IARC (Inte	rnational Agency for Research on Cancer):	
13463-67-7	Titanium dioxide	28
		28
110-00-9		0.5
110-00-9 75-56-9	propylene oxide acetaldehyde	2E 2E

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation

IATA: International Air Transport Association

(Cont'd. on page 9)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 26, 2020

Trade name: Pecora XL Flash

(Cont'd. of page 8) CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com