

Revision Number: 002.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:LOC FProduct type/use:SealarRestriction of Use:NoneCompany address:Henkel CorporationOne Henkel WayRocky Hill, Connecticut 06067

LOC PSS 10.00Z P CLK WHT 12CC Sealant None identified IDH number:

1511100

Region:United StatesContact information:Telephone: +1 (860) 571-5100MEDICAL EMERGENCY Phone: Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone: CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW WARNING: CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS HAZARD CATEGORY EYE IRRITATION 2A PICTOGRAM(S)

Precautionary Statements

 Prevention:
 Wash affected area thoroughly after handling. Wear eye and face protection.

 Response:
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

 Storage:
 Not prescribed

 Disposal:
 Not prescribed

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|-------------------------------|------------|-------------|
| Limestone | 1317-65-3 | 50 - 60 |
| Quartz (SiO2), <1% respirable | 14808-60-7 | 0.1 - 1 |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4. FIRST AID MEASURES | | |
|-----------------------|---|--|
| Inhalation: | Move to fresh air. If symptoms persist, seek medical advice. | |
| Skin contact: | Wash affected area immediately with soap and water. If symptoms develop and persist, get medical attention. | |
| | | |

| Eye contact: | In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention. |
|--|---|
| Ingestion: | Rinse out mouth. Do not drink. Never give anything by mouth to an unconscious person. If adverse health effects develop seek medical attention. |
| Symptoms: | See Section 11. |
| 5. F | IRE FIGHTING MEASURES |
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. |
| Special firefighting procedures: | Water may be unsuitable as an extinguishing media, but may be helpful in keeping adjacent containers cool. |
| Unusual fire or explosion hazards: | This product is an aqueous mixture which will not burn. If evaporated to dryness, the solid residue may pose a slight fire hazard. |
| Hazardous combustion products: | Oxides of nitrogen. Oxides of carbon. |
| 6. ACCII | DENTAL RELEASE MEASURES |
| personal protection recommended in Section rotected personnel. | on 8, isolate the hazard area and deny entry to unnecessary and |
| Environmental precautions: | Do not let product enter drains. |
| Clean-up methods: | Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up |

7. HANDLING AND STORAGE

Absorb spill with inert material. Shovel material into appropriate container for disposal. Wear appropriate protective equipment and clothing during clean-up.

Avoid contact with eyes. Avoid prolonged or repeated skin contact with this material. Keep out of the reach of children.

Handling:

Storage:

Keep from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|-------------------------------|---|---|-----------|-------|
| Limestone | 10 mg/m3 TWA Inhalable particles. 3 mg/m3 TWA Respirable particles. 10 mg/m3 TWA Total dust. | 5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. 5 mg/m3 TWA Respirable fraction. 50 MPPCF TWA Total dust. 15 mg/m3 TWA Total dust. 15 MPPCF TWA Respirable fraction. | None | None |
| Quartz (SiO2), <1% respirable | 0.025 mg/m3 TWA Respirable fraction. | 0.05 mg/m3 TWA (Respirable dust.) (Respirable dust.) 0.025 mg/m3 OSHA_ACT (Respirable dust.) 0.05 mg/m3 PEL Respirable dust. 2.4 MPPCF TWA Respirable. 0.1 mg/m3 TWA Respirable. | None | None |

Engineering controls:

Eye/face protection:

Use local exhaust ventilation.

Respiratory protection:

None required in normal use.

Skin protection:

Use impermeable gloves and protective clothing as necessary to prevent skin contact.

No personal respiratory protective equipment normally required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: **Evaporation rate:** Solubility in water: Partition coefficient (n-octanol/water): VOC content:

Viscosity: Decomposition temperature:

white Acrylic Not available. 7.3 - 8.5 15 mm hg (20 °C (68°F)) 100 °C (212°F) Not available. 1.69 Heavier than air, (Air = 1)> 93.3 °C (> 199.94 °F) Not available. Not available. Not available. Not applicable 0.5 (Butyl acetate = 1) Soluble Not available. 1.5 %; 33 g/l (by weight, calculated using CARB method; g/L less water, less exempts calculated using SCAQMD method) <= 1,000,000 cp Not available.

10. STABILITY AND REACTIVITY

| - | |
|--------------------------------------|--|
| Conditions to avoid: | Not available. |
| Reactivity: | Not available. |
| Incompatible materials: | None expected. |
| Hazardous decomposition products: | Oxides of nitrogen. Oxides of carbon. |
| Hazardous reactions: | Will not occur. |
| Stability: | Stable under normal conditions of storage and use. |

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin

Potential Health Effects/Symptoms

| Inhalation: | Abrasion of cured material such as by sanding or grinding could release respirable particles of silica guartz, a cancer hazard by inhalation. Normal use of this product causes no such release. |
|---------------|--|
| Skin contact: | Prolonged or repeated contact with this product may dry and/or defat the skin. |
| Eye contact: | Contact with uncured product may irritate the eyes. |
| Ingestion: | Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|-------------------------------|-----------------|--|
| Limestone | None | Nuisance dust |
| Quartz (SiO2), <1% respirable | None | Immune system, Lung, Some evidence of carcinogenicity |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-------------------------------|----------------------------------|-----------------|---|
| Limestone | No | No | No |
| Quartz (SiO2), <1% respirable | Known To Be Human Carcinogen. | Group 1 | Yes |

ECOLOGICAL INFORMATION 12.

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

14. **TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

| Proper shipping name: | Not regulated |
|---------------------------|---------------|
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

International Air Transportation (ICAO/IATA)

Dispose of according to Federal, State and local governmental regulations.

Proper shipping name: Hazard class or division: Identification number: Packing group: Not regulated None None None

Water Transportation (IMO/IMDG)

Proper shipping name: Hazard class or division: Identification number: Packing group: Not regulated None None None

15. REGULATORY INFORMATION

United States Regulatory Information

Ca

| TSCA 8 (b) Inventory Status: | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. This product contains one or more components with a Polymer Exemption in accordance |
|----------------------------------|---|
| | with 40 CFR 723.250. |
| TSCA 12 (b) Export Notification: | None above reporting de minimis |
| CERCLA/SARA Section 302 EHS: | None above reporting de minimis. |
| CERCLA/SARA Section 311/312: | Delayed Health, Immediate Health |
| CERCLA/SARA Section 313: | None above reporting de minimis. |
| California Proposition 65: | This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |
| nada Regulatory Information | |
| CEPA DSL/NDSL Status: | Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details. |

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: This Safety Data Sheet contains changes from the previous version in Section(s): 3, 8, 11, 13, 15

Prepared by: Product Safety and Regulatory Affairs

Issue date: 08/05/2022

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.